The vscodeicons package (12.19.0a) – 2026/10/26

Cédric Pierquet
https://github.com/vscode-icons/vscode-icons (Source version v12.19)
https://github.com/cpierquet/latex-packages/tree/main/vscodeicons (LaTeX package)

cpierquet – at – outlook . fr

This package provides LaTeX support for the vscode icons project (https://github.com/vscode-icons/vscode-icons).

To use vscodeicons in your document, include the package with \usepackage{vscodeicons}.
An icon can be accessed using the icon name. A list of all included icons with their respective *page* can be found at the end of this document.

1 Example

```
...
\usepackage{vscodeicons}
...
\begin{document}
...
Inline\vscodeicon{folder}version
...
\end{document}
```

Result: Inline version

2 Usage

2.1 Generic macro

```
\vscodeicon%
  [filetype=TF,foldertype=TF,height=...,(d)strut=...]%
  <includegraphics options>%
  {name}
```

The boolean [filetype] activate filetype version of icon (if available) and the boolean [foldertype] activate foldertype version of icon (if available).
And key [height=...] can be:

- dauto (by default): inline insertion with height/depth;
- auto: inline insertion with height/nodepth;
- a length: normal insertion with fixed height;

- `manuel height/depth`: normal insertion with fixed height/depth.

The keys `[(d)strut=...]` can be used to set the *reference* box for dimension calculations.

By default, icons are given with a small border, so the given height is the height of the *full* box, not the height of the icons.

Example: Inline version or inline version.

2.2 Examples

```
%normal version: inline with automatic height/depth (from qX characters)
\vscodeicon[filetype,height=dauto]{arduino} %or \vscodeicon[filetype]{arduino}
```

qX

```
%normal version: inline with automatic height/depth (from specified characters)
(q\vscodeicon[foldertype,height=dauto,dstrut=(qB)]{story}B)
```

(qB)

```
%normal version: inline with automatic height (from X character) default version
\vscodeicon[foldertype,height=auto]{story}
```

XX

```
%normal version: inline with manual height/depth
\vscodeicon[foldertype,height={1.2em/-0.4em}]{story}
```

qbXz

```
%fixed height
\vscodeicon[height=1in]{folder-opened}
```



2.3 Used packages

`graphicx` is loaded and used by the package (the key handling relies on `expl3`, which is part of the LaTeX kernel since October 2020).

2.4 Bugs

For bug reports and feature requests, report on the GitHub repository `https://github.com/cpierquet/latex-packages/issues`.

3 List of icons

3.1 Default version (5 icons)

The PDF file is `vscodeicons-default-all.pdf`

Icon	Name	Direct command	PDF page
	file	`\vscodeicon{file}`	1
	folder-opened	`\vscodeicon{folder-opened}`	2
	folder	`\vscodeicon{folder}`	3
	root-folder-opened	`\vscodeicon{root-folder-opened}`	4
	root-folder	`\vscodeicon{root-folder}`	5

3.2 FileType version (1061 icons)

The PDF file is `vscodeicons-filetype-all.pdf`

Icon	Name	Direct command	PDF page
	access	`\vscodeicon[filetype]{access}`	1
	access2	`\vscodeicon[filetype]{access2}`	2
	actionscript	`\vscodeicon[filetype]{actionscript}`	3
	actionscript2	`\vscodeicon[filetype]{actionscript2}`	4
	ada	`\vscodeicon[filetype]{ada}`	5
	advpl	`\vscodeicon[filetype]{advpl}`	6
	affectscript	`\vscodeicon[filetype]{affectscript}`	7
	affinity	`\vscodeicon[filetype]{affinity}`	8
	affinitydesigner	`\vscodeicon[filetype]{affinitydesigner}`	9
	affinityphoto	`\vscodeicon[filetype]{affinityphoto}`	10
	affinitypublisher	`\vscodeicon[filetype]{affinitypublisher}`	11
	agda	`\vscodeicon[filetype]{agda}`	12
	agents	`\vscodeicon[filetype]{agents}`	13
	ai	`\vscodeicon[filetype]{ai}`	14
	ai2	`\vscodeicon[filetype]{ai2}`	15
	al-dal	`\vscodeicon[filetype]{al-dal}`	16
	al	`\vscodeicon[filetype]{al}`	17
	alchemy	`\vscodeicon[filetype]{alchemy}`	18
	allcontributors	`\vscodeicon[filetype]{allcontributors}`	19
	alloy	`\vscodeicon[filetype]{alloy}`	20
	allure	`\vscodeicon[filetype]{allure}`	21
	angular	`\vscodeicon[filetype]{angular}`	22
	ansible	`\vscodeicon[filetype]{ansible}`	23
	antlers-html	`\vscodeicon[filetype]{antlers-html}`	24
	antlr	`\vscodeicon[filetype]{antlr}`	25
	anyscript	`\vscodeicon[filetype]{anyscript}`	26
	apache	`\vscodeicon[filetype]{apache}`	27
	apex	`\vscodeicon[filetype]{apex}`	28
	api-extractor	`\vscodeicon[filetype]{api-extractor}`	29

Icon	Name	Direct command	PDF page
	apib	`\vscodeicon[filetype]{apib}`	30
	apib2	`\vscodeicon[filetype]{apib2}`	31
	apl	`\vscodeicon[filetype]{apl}`	32
	applescript	`\vscodeicon[filetype]{applescript}`	33
	appscript	`\vscodeicon[filetype]{appscript}`	34
	appsemble	`\vscodeicon[filetype]{appsemble}`	35
	appveyor	`\vscodeicon[filetype]{appveyor}`	36
	arduino	`\vscodeicon[filetype]{arduino}`	37
	asciidoc	`\vscodeicon[filetype]{asciidoc}`	38
	aseprite	`\vscodeicon[filetype]{aseprite}`	39
	asp	`\vscodeicon[filetype]{asp}`	40
	aspx	`\vscodeicon[filetype]{aspx}`	41
	assembly-script	`\vscodeicon[filetype]{assembly-script}`	42
	assembly	`\vscodeicon[filetype]{assembly}`	43
	astro	`\vscodeicon[filetype]{astro}`	44
	astroconfig	`\vscodeicon[filetype]{astroconfig}`	45
	atom	`\vscodeicon[filetype]{atom}`	46
	ats	`\vscodeicon[filetype]{ats}`	47
	attw	`\vscodeicon[filetype]{attw}`	48
	audio	`\vscodeicon[filetype]{audio}`	49
	aurelia	`\vscodeicon[filetype]{aurelia}`	50
	autohotkey	`\vscodeicon[filetype]{autohotkey}`	51
	autoit	`\vscodeicon[filetype]{autoit}`	52
	avif	`\vscodeicon[filetype]{avif}`	53
	avro	`\vscodeicon[filetype]{avro}`	54
	awk	`\vscodeicon[filetype]{awk}`	55
	aws	`\vscodeicon[filetype]{aws}`	56
	azure	`\vscodeicon[filetype]{azure}`	57
	azurepipelines	`\vscodeicon[filetype]{azurepipelines}`	58
	azurestreamanalytics	`\vscodeicon[filetype]{azurestreamanalytics}`	59
	babel	`\vscodeicon[filetype]{babel}`	60
	babel2	`\vscodeicon[filetype]{babel2}`	61
	bak	`\vscodeicon[filetype]{bak}`	62
	ballerina	`\vscodeicon[filetype]{ballerina}`	63
	bat	`\vscodeicon[filetype]{bat}`	64
	bats	`\vscodeicon[filetype]{bats}`	65
	bazaar	`\vscodeicon[filetype]{bazaar}`	66
	bazel-ignore	`\vscodeicon[filetype]{bazel-ignore}`	67
	bazel-version	`\vscodeicon[filetype]{bazel-version}`	68
	bazel	`\vscodeicon[filetype]{bazel}`	69
	befunge	`\vscodeicon[filetype]{befunge}`	70
	bicep	`\vscodeicon[filetype]{bicep}`	71
	biml	`\vscodeicon[filetype]{biml}`	72
	binary	`\vscodeicon[filetype]{binary}`	73
	biome	`\vscodeicon[filetype]{biome}`	74
	bitbucketpipeline	`\vscodeicon[filetype]{bitbucketpipeline}`	75

Icon	Name	Direct command	PDF page
	bithound	`\vscodeicon[filetype]{bithound}`	76
	blade	`\vscodeicon[filetype]{blade}`	77
	blender	`\vscodeicon[filetype]{blender}`	78
	blitzbasic	`\vscodeicon[filetype]{blitzbasic}`	79
	bolt	`\vscodeicon[filetype]{bolt}`	80
	bosque	`\vscodeicon[filetype]{bosque}`	81
	bower	`\vscodeicon[filetype]{bower}`	82
	bower2	`\vscodeicon[filetype]{bower2}`	83
	brew	`\vscodeicon[filetype]{brew}`	84
	browserslist	`\vscodeicon[filetype]{browserslist}`	85
	bruno	`\vscodeicon[filetype]{bruno}`	86
	buckbuild	`\vscodeicon[filetype]{buckbuild}`	87
	buf	`\vscodeicon[filetype]{buf}`	88
	bun	`\vscodeicon[filetype]{bun}`	89
	bundlemon	`\vscodeicon[filetype]{bundlemon}`	90
	bundler	`\vscodeicon[filetype]{bundler}`	91
	bunfig	`\vscodeicon[filetype]{bunfig}`	92
	c-al	`\vscodeicon[filetype]{c-al}`	93
	c	`\vscodeicon[filetype]{c}`	94
	c2	`\vscodeicon[filetype]{c2}`	95
	c3	`\vscodeicon[filetype]{c3}`	96
	cabal	`\vscodeicon[filetype]{cabal}`	97
	caddy	`\vscodeicon[filetype]{caddy}`	98
	cake	`\vscodeicon[filetype]{cake}`	99
	cakephp	`\vscodeicon[filetype]{cakephp}`	100
	cangjie	`\vscodeicon[filetype]{cangjie}`	101
	capacitor	`\vscodeicon[filetype]{capacitor}`	102
	capnp	`\vscodeicon[filetype]{capnp}`	103
	cargo	`\vscodeicon[filetype]{cargo}`	104
	casc	`\vscodeicon[filetype]{casc}`	105
	cddl	`\vscodeicon[filetype]{cddl}`	106
	cert	`\vscodeicon[filetype]{cert}`	107
	ceylon	`\vscodeicon[filetype]{ceylon}`	108
	cf	`\vscodeicon[filetype]{cf}`	109
	cf2	`\vscodeicon[filetype]{cf2}`	110
	cfc	`\vscodeicon[filetype]{cfc}`	111
	cfc2	`\vscodeicon[filetype]{cfc2}`	112
	cfm	`\vscodeicon[filetype]{cfm}`	113
	cfm2	`\vscodeicon[filetype]{cfm2}`	114
	changie	`\vscodeicon[filetype]{changie}`	115
	cheader	`\vscodeicon[filetype]{cheader}`	116
	chef-cookbook	`\vscodeicon[filetype]{chef-cookbook}`	117
	chef	`\vscodeicon[filetype]{chef}`	118
	circleci	`\vscodeicon[filetype]{circleci}`	119
	circom	`\vscodeicon[filetype]{circom}`	120
	clangd	`\vscodeicon[filetype]{clangd}`	121

Icon	Name	Direct command	PDF page
	class	\vscodeicon[filetype]{class}	122
	claude	\vscodeicon[filetype]{claude}	123
	clojure	\vscodeicon[filetype]{clojure}	124
	clojurescript	\vscodeicon[filetype]{clojurescript}	125
	cloudflare	\vscodeicon[filetype]{cloudflare}	126
	cloudfoundry	\vscodeicon[filetype]{cloudfoundry}	127
	cmake	\vscodeicon[filetype]{cmake}	128
	cobol	\vscodeicon[filetype]{cobol}	129
	codacy	\vscodeicon[filetype]{codacy}	130
	codeclimate	\vscodeicon[filetype]{codeclimate}	131
	codecov	\vscodeicon[filetype]{codecov}	132
	codekit	\vscodeicon[filetype]{codekit}	133
	codemagic	\vscodeicon[filetype]{codemagic}	134
	codeowners	\vscodeicon[filetype]{codeowners}	135
	codeql	\vscodeicon[filetype]{codeql}	136
	coderabbit	\vscodeicon[filetype]{coderabbit}	137
	coffeelint	\vscodeicon[filetype]{coffeelint}	138
	coffeescript	\vscodeicon[filetype]{coffeescript}	139
	commitizen	\vscodeicon[filetype]{commitizen}	140
	commitlint	\vscodeicon[filetype]{commitlint}	141
	compass	\vscodeicon[filetype]{compass}	142
	composer	\vscodeicon[filetype]{composer}	143
	conan	\vscodeicon[filetype]{conan}	144
	conda	\vscodeicon[filetype]{conda}	145
	config	\vscodeicon[filetype]{config}	146
	confluence	\vscodeicon[filetype]{confluence}	147
	context7	\vscodeicon[filetype]{context7}	148
	copilot	\vscodeicon[filetype]{copilot}	149
	coverage	\vscodeicon[filetype]{coverage}	150
	coveralls	\vscodeicon[filetype]{coveralls}	151
	cpp	\vscodeicon[filetype]{cpp}	152
	cpp2	\vscodeicon[filetype]{cpp2}	153
	cpp3	\vscodeicon[filetype]{cpp3}	154
	cppheader	\vscodeicon[filetype]{cppheader}	155
	craco	\vscodeicon[filetype]{craco}	156
	crowdin	\vscodeicon[filetype]{crowdin}	157
	crystal	\vscodeicon[filetype]{crystal}	158
	csharp	\vscodeicon[filetype]{csharp}	159
	csharp2	\vscodeicon[filetype]{csharp2}	160
	cspell	\vscodeicon[filetype]{cspell}	161
	csproj	\vscodeicon[filetype]{csproj}	162
	css	\vscodeicon[filetype]{css}	163
	css2	\vscodeicon[filetype]{css2}	164
	css2map	\vscodeicon[filetype]{css2map}	165
	csscomb	\vscodeicon[filetype]{csscomb}	166
	csslint	\vscodeicon[filetype]{csslint}	167

Icon	Name	Direct command	PDF page
	cssmap	\vscodeicon[filetype]{cssmap}	168
	cucumber	\vscodeicon[filetype]{cucumber}	169
	cuda	\vscodeicon[filetype]{cuda}	170
	cue	\vscodeicon[filetype]{cue}	171
	cursorrules	\vscodeicon[filetype]{cursorrules}	172
	cvs	\vscodeicon[filetype]{cvs}	173
	cypress-spec	\vscodeicon[filetype]{cypress-spec}	174
	cypress	\vscodeicon[filetype]{cypress}	175
	cython	\vscodeicon[filetype]{cython}	176
	dal	\vscodeicon[filetype]{dal}	177
	darcs	\vscodeicon[filetype]{darcs}	178
	dartlang-generated	\vscodeicon[filetype]{dartlang-generated}	179
	dartlang-ignore	\vscodeicon[filetype]{dartlang-ignore}	180
	dartlang	\vscodeicon[filetype]{dartlang}	181
	databricks	\vscodeicon[filetype]{databricks}	182
	datadog	\vscodeicon[filetype]{datadog}	183
	db	\vscodeicon[filetype]{db}	184
	dbt	\vscodeicon[filetype]{dbt}	185
	debian	\vscodeicon[filetype]{debian}	186
	delphi	\vscodeicon[filetype]{delphi}	187
	deno	\vscodeicon[filetype]{deno}	188
	denoify	\vscodeicon[filetype]{denoify}	189
	dependabot	\vscodeicon[filetype]{dependabot}	190
	dependencies	\vscodeicon[filetype]{dependencies}	191
	design-tokens	\vscodeicon[filetype]{design-tokens}	192
	devcontainer	\vscodeicon[filetype]{devcontainer}	193
	devenv	\vscodeicon[filetype]{devenv}	194
	devvit	\vscodeicon[filetype]{devvit}	195
	dhall	\vscodeicon[filetype]{dhall}	196
	diff	\vscodeicon[filetype]{diff}	197
	django	\vscodeicon[filetype]{django}	198
	dlang	\vscodeicon[filetype]{dlang}	199
	docker	\vscodeicon[filetype]{docker}	200
	docker2	\vscodeicon[filetype]{docker2}	201
	dockertest	\vscodeicon[filetype]{dockertest}	202
	dockertest2	\vscodeicon[filetype]{dockertest2}	203
	docpad	\vscodeicon[filetype]{docpad}	204
	docusaurus	\vscodeicon[filetype]{docusaurus}	205
	docz	\vscodeicon[filetype]{docz}	206
	dojo	\vscodeicon[filetype]{dojo}	207
	doppler	\vscodeicon[filetype]{doppler}	208
	dotenv	\vscodeicon[filetype]{dotenv}	209
	dotjs	\vscodeicon[filetype]{dotjs}	210
	doxyfile	\vscodeicon[filetype]{doxyfile}	211
	doxygen	\vscodeicon[filetype]{doxygen}	212
	drawio	\vscodeicon[filetype]{drawio}	213

Icon	Name	Direct command	PDF page
	drizzle-orm	\vscodeicon[filetype]{drizzle-orm}	214
	drone	\vscodeicon[filetype]{drone}	215
	drools	\vscodeicon[filetype]{drools}	216
	dtd	\vscodeicon[filetype]{dtd}	217
	duckdb	\vscodeicon[filetype]{duckdb}	218
	dune	\vscodeicon[filetype]{dune}	219
	dustjs	\vscodeicon[filetype]{dustjs}	220
	dvc	\vscodeicon[filetype]{dvc}	221
	dylan	\vscodeicon[filetype]{dylan}	222
	earthly	\vscodeicon[filetype]{earthly}	223
	eas-metadata	\vscodeicon[filetype]{eas-metadata}	224
	edge	\vscodeicon[filetype]{edge}	225
	edge2	\vscodeicon[filetype]{edge2}	226
	editorconfig	\vscodeicon[filetype]{editorconfig}	227
	eex	\vscodeicon[filetype]{eex}	228
	ejs	\vscodeicon[filetype]{ejs}	229
	elastic	\vscodeicon[filetype]{elastic}	230
	elasticbeanstalk	\vscodeicon[filetype]{elasticbeanstalk}	231
	electron	\vscodeicon[filetype]{electron}	232
	eleventy	\vscodeicon[filetype]{eleventy}	233
	eleventy2	\vscodeicon[filetype]{eleventy2}	234
	elixir	\vscodeicon[filetype]{elixir}	235
	elm	\vscodeicon[filetype]{elm}	236
	elm2	\vscodeicon[filetype]{elm2}	237
	emacs	\vscodeicon[filetype]{emacs}	238
	ember	\vscodeicon[filetype]{ember}	239
	ensime	\vscodeicon[filetype]{ensime}	240
	eps	\vscodeicon[filetype]{eps}	241
	epub	\vscodeicon[filetype]{epub}	242
	erb	\vscodeicon[filetype]{erb}	243
	erlang	\vscodeicon[filetype]{erlang}	244
	erlang2	\vscodeicon[filetype]{erlang2}	245
	esbuild	\vscodeicon[filetype]{esbuild}	246
	eslint	\vscodeicon[filetype]{eslint}	247
	eslint2	\vscodeicon[filetype]{eslint2}	248
	esphome	\vscodeicon[filetype]{esphome}	249
	excalidraw	\vscodeicon[filetype]{excalidraw}	250
	excel	\vscodeicon[filetype]{excel}	251
	excel2	\vscodeicon[filetype]{excel2}	252
	expo	\vscodeicon[filetype]{expo}	253
	falcon	\vscodeicon[filetype]{falcon}	254
	fantasticon	\vscodeicon[filetype]{fantasticon}	255
	fastly	\vscodeicon[filetype]{fastly}	256
	fauna	\vscodeicon[filetype]{fauna}	257
	favicon	\vscodeicon[filetype]{favicon}	258
	fbx	\vscodeicon[filetype]{fbx}	259

Icon	Name	Direct command	PDF page
	firebase	`\vscodeicon[filetype]{firebase}`	260
	firebasehosting	`\vscodeicon[filetype]{firebasehosting}`	261
	firebasestorage	`\vscodeicon[filetype]{firebasestorage}`	262
	firestore	`\vscodeicon[filetype]{firestore}`	263
	fitbit	`\vscodeicon[filetype]{fitbit}`	264
	fla	`\vscodeicon[filetype]{fla}`	265
	flareact	`\vscodeicon[filetype]{flareact}`	266
	flash	`\vscodeicon[filetype]{flash}`	267
	flatbuffers	`\vscodeicon[filetype]{flatbuffers}`	268
	fleet	`\vscodeicon[filetype]{fleet}`	269
	floobits	`\vscodeicon[filetype]{floobits}`	270
	flow	`\vscodeicon[filetype]{flow}`	271
	flowgorithm	`\vscodeicon[filetype]{flowgorithm}`	272
	flutter-package	`\vscodeicon[filetype]{flutter-package}`	273
	flutter	`\vscodeicon[filetype]{flutter}`	274
	flyio	`\vscodeicon[filetype]{flyio}`	275
	font	`\vscodeicon[filetype]{font}`	276
	formkit	`\vscodeicon[filetype]{formkit}`	277
	fortran	`\vscodeicon[filetype]{fortran}`	278
	fossa	`\vscodeicon[filetype]{fossa}`	279
	fossil	`\vscodeicon[filetype]{fossil}`	280
	freemarker	`\vscodeicon[filetype]{freemarker}`	281
	fritzing	`\vscodeicon[filetype]{fritzing}`	282
	frontcommerce	`\vscodeicon[filetype]{frontcommerce}`	283
	fsharp	`\vscodeicon[filetype]{fsharp}`	284
	fsharp2	`\vscodeicon[filetype]{fsharp2}`	285
	fsproj	`\vscodeicon[filetype]{fsproj}`	286
	fthtml	`\vscodeicon[filetype]{fthtml}`	287
	funding	`\vscodeicon[filetype]{funding}`	288
	fusebox	`\vscodeicon[filetype]{fusebox}`	289
	galen	`\vscodeicon[filetype]{galen}`	290
	galen2	`\vscodeicon[filetype]{galen2}`	291
	gamemaker	`\vscodeicon[filetype]{gamemaker}`	292
	gamemaker2	`\vscodeicon[filetype]{gamemaker2}`	293
	gamemaker81	`\vscodeicon[filetype]{gamemaker81}`	294
	gatsby	`\vscodeicon[filetype]{gatsby}`	295
	gcloud	`\vscodeicon[filetype]{gcloud}`	296
	gcode	`\vscodeicon[filetype]{gcode}`	297
	gdscript	`\vscodeicon[filetype]{gdscript}`	298
	gduid	`\vscodeicon[filetype]{gduid}`	299
	gemini	`\vscodeicon[filetype]{gemini}`	300
	genstat	`\vscodeicon[filetype]{genstat}`	301
	geojson	`\vscodeicon[filetype]{geojson}`	302
	gimp	`\vscodeicon[filetype]{gimp}`	303
	git	`\vscodeicon[filetype]{git}`	304
	git2	`\vscodeicon[filetype]{git2}`	305

Icon	Name	Direct command	PDF page
	gitlab	`\vscodeicon[filetype]{gitlab}`	306
	gitpod	`\vscodeicon[filetype]{gitpod}`	307
	gleam	`\vscodeicon[filetype]{gleam}`	308
	gleamconfig	`\vscodeicon[filetype]{gleamconfig}`	309
	glide	`\vscodeicon[filetype]{glide}`	310
	glimmer	`\vscodeicon[filetype]{glimmer}`	311
	glitter	`\vscodeicon[filetype]{glitter}`	312
	glsl	`\vscodeicon[filetype]{glsl}`	313
	gltf	`\vscodeicon[filetype]{gltf}`	314
	glyphs	`\vscodeicon[filetype]{glyphs}`	315
	gnu	`\vscodeicon[filetype]{gnu}`	316
	gnuplot	`\vscodeicon[filetype]{gnuplot}`	317
	go-aqua	`\vscodeicon[filetype]{go-aqua}`	318
	go-black	`\vscodeicon[filetype]{go-black}`	319
	go-fuchsia	`\vscodeicon[filetype]{go-fuchsia}`	320
	go-gopher	`\vscodeicon[filetype]{go-gopher}`	321
	go-lightblue	`\vscodeicon[filetype]{go-lightblue}`	322
	go-package	`\vscodeicon[filetype]{go-package}`	323
	go-white	`\vscodeicon[filetype]{go-white}`	324
	go-work	`\vscodeicon[filetype]{go-work}`	325
	go-yellow	`\vscodeicon[filetype]{go-yellow}`	326
	go	`\vscodeicon[filetype]{go}`	327
	goctl	`\vscodeicon[filetype]{goctl}`	328
	godot	`\vscodeicon[filetype]{godot}`	329
	gpg	`\vscodeicon[filetype]{gpg}`	330
	gradle	`\vscodeicon[filetype]{gradle}`	331
	gradle2	`\vscodeicon[filetype]{gradle2}`	332
	grain	`\vscodeicon[filetype]{grain}`	333
	graphql-config	`\vscodeicon[filetype]{graphql-config}`	334
	graphql	`\vscodeicon[filetype]{graphql}`	335
	graphviz	`\vscodeicon[filetype]{graphviz}`	336
	greenkeeper	`\vscodeicon[filetype]{greenkeeper}`	337
	gridsome	`\vscodeicon[filetype]{gridsome}`	338
	grit	`\vscodeicon[filetype]{grit}`	339
	groovy	`\vscodeicon[filetype]{groovy}`	340
	groovy2	`\vscodeicon[filetype]{groovy2}`	341
	grunt	`\vscodeicon[filetype]{grunt}`	342
	gulp	`\vscodeicon[filetype]{gulp}`	343
	haml	`\vscodeicon[filetype]{haml}`	344
	handlebars	`\vscodeicon[filetype]{handlebars}`	345
	handlebars2	`\vscodeicon[filetype]{handlebars2}`	346
	harbour	`\vscodeicon[filetype]{harbour}`	347
	hardhat	`\vscodeicon[filetype]{hardhat}`	348
	hashicorp	`\vscodeicon[filetype]{hashicorp}`	349
	haskell	`\vscodeicon[filetype]{haskell}`	350
	haskell2	`\vscodeicon[filetype]{haskell2}`	351

Icon	Name	Direct command	PDF page
	haxe	\vscodeicon[filetype]{haxe}	352
	haxecheckstyle	\vscodeicon[filetype]{haxecheckstyle}	353
	haxedevelop	\vscodeicon[filetype]{haxedevelop}	354
	helix	\vscodeicon[filetype]{helix}	355
	helm	\vscodeicon[filetype]{helm}	356
	histoire	\vscodeicon[filetype]{histoire}	357
	hjson	\vscodeicon[filetype]{hjson}	358
	hlsl	\vscodeicon[filetype]{hlsl}	359
	homeassistant	\vscodeicon[filetype]{homeassistant}	360
	horusec	\vscodeicon[filetype]{horusec}	361
	host	\vscodeicon[filetype]{host}	362
	html	\vscodeicon[filetype]{html}	363
	htmlhint	\vscodeicon[filetype]{htmlhint}	364
	htmlvalidate	\vscodeicon[filetype]{htmlvalidate}	365
	http	\vscodeicon[filetype]{http}	366
	huff	\vscodeicon[filetype]{huff}	367
	hugo	\vscodeicon[filetype]{hugo}	368
	humanstxt	\vscodeicon[filetype]{humanstxt}	369
	hunspell	\vscodeicon[filetype]{hunspell}	370
	hurl	\vscodeicon[filetype]{hurl}	371
	husky	\vscodeicon[filetype]{husky}	372
	hy	\vscodeicon[filetype]{hy}	373
	hygen	\vscodeicon[filetype]{hygen}	374
	hypr	\vscodeicon[filetype]{hypr}	375
	icl	\vscodeicon[filetype]{icl}	376
	idris	\vscodeicon[filetype]{idris}	377
	idrisbin	\vscodeicon[filetype]{idrisbin}	378
	idrispkg	\vscodeicon[filetype]{idrispkg}	379
	image	\vscodeicon[filetype]{image}	380
	imba	\vscodeicon[filetype]{imba}	381
	inc	\vscodeicon[filetype]{inc}	382
	infopath	\vscodeicon[filetype]{infopath}	383
	informix	\vscodeicon[filetype]{informix}	384
	ini	\vscodeicon[filetype]{ini}	385
	ink	\vscodeicon[filetype]{ink}	386
	innosetup	\vscodeicon[filetype]{innosetup}	387
	io	\vscodeicon[filetype]{io}	388
	iodine	\vscodeicon[filetype]{iodine}	389
	ionic	\vscodeicon[filetype]{ionic}	390
	jake	\vscodeicon[filetype]{jake}	391
	janet	\vscodeicon[filetype]{janet}	392
	jar	\vscodeicon[filetype]{jar}	393
	jasmine	\vscodeicon[filetype]{jasmine}	394
	java	\vscodeicon[filetype]{java}	395
	jbuilder	\vscodeicon[filetype]{jbuilder}	396
	jekyll	\vscodeicon[filetype]{jekyll}	397

Icon	Name	Direct command	PDF page
	jenkins	\vscodeicon[filetype]{jenkins}	398
	jest-snapshot	\vscodeicon[filetype]{jest-snapshot}	399
	jest	\vscodeicon[filetype]{jest}	400
	jetbrains	\vscodeicon[filetype]{jetbrains}	401
	jinja	\vscodeicon[filetype]{jinja}	402
	jpm	\vscodeicon[filetype]{jpm}	403
	js-official	\vscodeicon[filetype]{js-official}	404
	js	\vscodeicon[filetype]{js}	405
	jsbeautify	\vscodeicon[filetype]{jsbeautify}	406
	jsconfig	\vscodeicon[filetype]{jsconfig}	407
	jscpd	\vscodeicon[filetype]{jscpd}	408
	jshint	\vscodeicon[filetype]{jshint}	409
	jsmap	\vscodeicon[filetype]{jsmap}	410
	json-official	\vscodeicon[filetype]{json-official}	411
	json-schema	\vscodeicon[filetype]{json-schema}	412
	json	\vscodeicon[filetype]{json}	413
	json2	\vscodeicon[filetype]{json2}	414
	json5	\vscodeicon[filetype]{json5}	415
	jsonld	\vscodeicon[filetype]{jsonld}	416
	jsonnet	\vscodeicon[filetype]{jsonnet}	417
	jsp	\vscodeicon[filetype]{jsp}	418
	jsr	\vscodeicon[filetype]{jsr}	419
	jss	\vscodeicon[filetype]{jss}	420
	juice	\vscodeicon[filetype]{juice}	421
	julia	\vscodeicon[filetype]{julia}	422
	julia2	\vscodeicon[filetype]{julia2}	423
	jupyter	\vscodeicon[filetype]{jupyter}	424
	just	\vscodeicon[filetype]{just}	425
	k	\vscodeicon[filetype]{k}	426
	karma	\vscodeicon[filetype]{karma}	427
	key	\vscodeicon[filetype]{key}	428
	kitchenci	\vscodeicon[filetype]{kitchenci}	429
	kite	\vscodeicon[filetype]{kite}	430
	kivy	\vscodeicon[filetype]{kivy}	431
	knex	\vscodeicon[filetype]{knex}	432
	knip	\vscodeicon[filetype]{knip}	433
	kos	\vscodeicon[filetype]{kos}	434
	kotlin	\vscodeicon[filetype]{kotlin}	435
	kusto	\vscodeicon[filetype]{kusto}	436
	language-configuration	\vscodeicon[filetype]{language-configuration}	437
	lark	\vscodeicon[filetype]{lark}	438
	latino	\vscodeicon[filetype]{latino}	439
	layout	\vscodeicon[filetype]{layout}	440
	lean	\vscodeicon[filetype]{lean}	441
	leanconfig	\vscodeicon[filetype]{leanconfig}	442
	lefthook	\vscodeicon[filetype]{lefthook}	443

Icon	Name	Direct command	PDF page
	lemon	`\vscodeicon[filetype]{lemon}`	444
	lerna	`\vscodeicon[filetype]{lerna}`	445
	less	`\vscodeicon[filetype]{less}`	446
	lex	`\vscodeicon[filetype]{lex}`	447
	liara	`\vscodeicon[filetype]{liara}`	448
	libreoffice-base	`\vscodeicon[filetype]{libreoffice-base}`	449
	libreoffice-calc	`\vscodeicon[filetype]{libreoffice-calc}`	450
	libreoffice-draw	`\vscodeicon[filetype]{libreoffice-draw}`	451
	libreoffice-impress	`\vscodeicon[filetype]{libreoffice-impress}`	452
	libreoffice-math	`\vscodeicon[filetype]{libreoffice-math}`	453
	libreoffice-writer	`\vscodeicon[filetype]{libreoffice-writer}`	454
	license	`\vscodeicon[filetype]{license}`	455
	licensebat	`\vscodeicon[filetype]{licensebat}`	456
	light-actionscript2	`\vscodeicon[filetype]{light-actionscript2}`	457
	light-ada	`\vscodeicon[filetype]{light-ada}`	458
	light-agda	`\vscodeicon[filetype]{light-agda}`	459
	light-agents	`\vscodeicon[filetype]{light-agents}`	460
	light-apl	`\vscodeicon[filetype]{light-apl}`	461
	light-astro	`\vscodeicon[filetype]{light-astro}`	462
	light-astroconfig	`\vscodeicon[filetype]{light-astroconfig}`	463
	light-babel	`\vscodeicon[filetype]{light-babel}`	464
	light-babel2	`\vscodeicon[filetype]{light-babel2}`	465
	light-cabal	`\vscodeicon[filetype]{light-cabal}`	466
	light-circleci	`\vscodeicon[filetype]{light-circleci}`	467
	light-cloudfoundry	`\vscodeicon[filetype]{light-cloudfoundry}`	468
	light-codacy	`\vscodeicon[filetype]{light-codacy}`	469
	light-codeclimate	`\vscodeicon[filetype]{light-codeclimate}`	470
	light-codeowners	`\vscodeicon[filetype]{light-codeowners}`	471
	light-config	`\vscodeicon[filetype]{light-config}`	472
	light-copilot	`\vscodeicon[filetype]{light-copilot}`	473
	light-crystal	`\vscodeicon[filetype]{light-crystal}`	474
	light-cue	`\vscodeicon[filetype]{light-cue}`	475
	light-cypress-spec	`\vscodeicon[filetype]{light-cypress-spec}`	476
	light-cypress	`\vscodeicon[filetype]{light-cypress}`	477
	light-db	`\vscodeicon[filetype]{light-db}`	478
	light-devenv	`\vscodeicon[filetype]{light-devenv}`	479
	light-dhall	`\vscodeicon[filetype]{light-dhall}`	480
	light-docpad	`\vscodeicon[filetype]{light-docpad}`	481
	light-drizzle-orm	`\vscodeicon[filetype]{light-drizzle-orm}`	482
	light-drone	`\vscodeicon[filetype]{light-drone}`	483
	light-duckdb	`\vscodeicon[filetype]{light-duckdb}`	484
	light-eas-metadata	`\vscodeicon[filetype]{light-eas-metadata}`	485
	light-eleventy	`\vscodeicon[filetype]{light-eleventy}`	486
	light-eleventy2	`\vscodeicon[filetype]{light-eleventy2}`	487
	light-esphome	`\vscodeicon[filetype]{light-esphome}`	488
	light-expo	`\vscodeicon[filetype]{light-expo}`	489

Icon	Name	Direct command	PDF page
	light-firebasehosting	`\vscodeicon[filetype]{light-firebasehosting}`	490
	light-fla	`\vscodeicon[filetype]{light-fla}`	491
	light-font	`\vscodeicon[filetype]{light-font}`	492
	light-gamemaker2	`\vscodeicon[filetype]{light-gamemaker2}`	493
	light-gradle	`\vscodeicon[filetype]{light-gradle}`	494
	light-hashicorp	`\vscodeicon[filetype]{light-hashicorp}`	495
	light-hjson	`\vscodeicon[filetype]{light-hjson}`	496
	light-huff	`\vscodeicon[filetype]{light-huff}`	497
	light-ini	`\vscodeicon[filetype]{light-ini}`	498
	light-io	`\vscodeicon[filetype]{light-io}`	499
	light-js	`\vscodeicon[filetype]{light-js}`	500
	light-jsconfig	`\vscodeicon[filetype]{light-jsconfig}`	501
	light-jsmap	`\vscodeicon[filetype]{light-jsmap}`	502
	light-json-schema	`\vscodeicon[filetype]{light-json-schema}`	503
	light-json	`\vscodeicon[filetype]{light-json}`	504
	light-json5	`\vscodeicon[filetype]{light-json5}`	505
	light-jsonld	`\vscodeicon[filetype]{light-jsonld}`	506
	light-kite	`\vscodeicon[filetype]{light-kite}`	507
	light-lark	`\vscodeicon[filetype]{light-lark}`	508
	light-lean	`\vscodeicon[filetype]{light-lean}`	509
	light-leanconfig	`\vscodeicon[filetype]{light-leanconfig}`	510
	light-lerna	`\vscodeicon[filetype]{light-lerna}`	511
	light-mailing	`\vscodeicon[filetype]{light-mailing}`	512
	light-markuplint	`\vscodeicon[filetype]{light-markuplint}`	513
	light-mcp	`\vscodeicon[filetype]{light-mcp}`	514
	light-mdx-components	`\vscodeicon[filetype]{light-mdx-components}`	515
	light-mdx	`\vscodeicon[filetype]{light-mdx}`	516
	light-mikro-orm	`\vscodeicon[filetype]{light-mikro-orm}`	517
	light-mlang	`\vscodeicon[filetype]{light-mlang}`	518
	light-mustache	`\vscodeicon[filetype]{light-mustache}`	519
	light-mypy	`\vscodeicon[filetype]{light-mypy}`	520
	light-neo4j	`\vscodeicon[filetype]{light-neo4j}`	521
	light-netlify	`\vscodeicon[filetype]{light-netlify}`	522
	light-next	`\vscodeicon[filetype]{light-next}`	523
	light-nim	`\vscodeicon[filetype]{light-nim}`	524
	light-nx	`\vscodeicon[filetype]{light-nx}`	525
	light-objidconfig	`\vscodeicon[filetype]{light-objidconfig}`	526
	light-opencode	`\vscodeicon[filetype]{light-opencode}`	527
	light-openHAB	`\vscodeicon[filetype]{light-openHAB}`	528
	light-oxc	`\vscodeicon[filetype]{light-oxc}`	529
	light-packship	`\vscodeicon[filetype]{light-packship}`	530
	light-pcl	`\vscodeicon[filetype]{light-pcl}`	531
	light-pnpm	`\vscodeicon[filetype]{light-pnpm}`	532
	light-prettier	`\vscodeicon[filetype]{light-prettier}`	533
	light-prisma	`\vscodeicon[filetype]{light-prisma}`	534
	light-purescript	`\vscodeicon[filetype]{light-purescript}`	535

Icon	Name	Direct command	PDF page
	light-quasar	\vscodeicon[filetype]{light-quasar}	536
	light-railway	\vscodeicon[filetype]{light-railway}	537
	light-raku	\vscodeicon[filetype]{light-raku}	538
	light-razzle	\vscodeicon[filetype]{light-razzle}	539
	light-reactrouter	\vscodeicon[filetype]{light-reactrouter}	540
	light-readthedocs	\vscodeicon[filetype]{light-readthedocs}	541
	light-rehype	\vscodeicon[filetype]{light-rehype}	542
	light-remark	\vscodeicon[filetype]{light-remark}	543
	light-render	\vscodeicon[filetype]{light-render}	544
	light-replit	\vscodeicon[filetype]{light-replit}	545
	light-retext	\vscodeicon[filetype]{light-retext}	546
	light-rolldown	\vscodeicon[filetype]{light-rolldown}	547
	light-rome	\vscodeicon[filetype]{light-rome}	548
	light-rubocop	\vscodeicon[filetype]{light-rubocop}	549
	light-rust-toolchain	\vscodeicon[filetype]{light-rust-toolchain}	550
	light-rust	\vscodeicon[filetype]{light-rust}	551
	light-safetensors	\vscodeicon[filetype]{light-safetensors}	552
	light-shadcn	\vscodeicon[filetype]{light-shadcn}	553
	light-shaderlab	\vscodeicon[filetype]{light-shaderlab}	554
	light-skill	\vscodeicon[filetype]{light-skill}	555
	light-solidity	\vscodeicon[filetype]{light-solidity}	556
	light-spin	\vscodeicon[filetype]{light-spin}	557
	light-stylelint	\vscodeicon[filetype]{light-stylelint}	558
	light-stylus	\vscodeicon[filetype]{light-stylus}	559
	light-symfony	\vscodeicon[filetype]{light-symfony}	560
	light-systemd	\vscodeicon[filetype]{light-systemd}	561
	light-systemverilog	\vscodeicon[filetype]{light-systemverilog}	562
	light-testcafe	\vscodeicon[filetype]{light-testcafe}	563
	light-testjs	\vscodeicon[filetype]{light-testjs}	564
	light-tex	\vscodeicon[filetype]{light-tex}	565
	light-tm	\vscodeicon[filetype]{light-tm}	566
	light-tmux	\vscodeicon[filetype]{light-tmux}	567
	light-todo	\vscodeicon[filetype]{light-todo}	568
	light-toit	\vscodeicon[filetype]{light-toit}	569
	light-toml	\vscodeicon[filetype]{light-toml}	570
	light-toon	\vscodeicon[filetype]{light-toon}	571
	light-tree	\vscodeicon[filetype]{light-tree}	572
	light-trivy	\vscodeicon[filetype]{light-trivy}	573
	light-turbo	\vscodeicon[filetype]{light-turbo}	574
	light-unibeautify	\vscodeicon[filetype]{light-unibeautify}	575
	light-vash	\vscodeicon[filetype]{light-vash}	576
	light-vercel	\vscodeicon[filetype]{light-vercel}	577
	light-vite	\vscodeicon[filetype]{light-vite}	578
	light-vitest	\vscodeicon[filetype]{light-vitest}	579
	light-vsix	\vscodeicon[filetype]{light-vsix}	580
	light-vsixmanifest	\vscodeicon[filetype]{light-vsixmanifest}	581

Icon	Name	Direct command	PDF page
	light-warp	`\vscodeicon[filetype]{light-warp}`	582
	light-wesl	`\vscodeicon[filetype]{light-wesl}`	583
	light-xfl	`\vscodeicon[filetype]{light-xfl}`	584
	light-xorg	`\vscodeicon[filetype]{light-xorg}`	585
	light-yaml-official	`\vscodeicon[filetype]{light-yaml-official}`	586
	light-yaml	`\vscodeicon[filetype]{light-yaml}`	587
	lighthouse	`\vscodeicon[filetype]{lighthouse}`	588
	lilypond	`\vscodeicon[filetype]{lilypond}`	589
	lime	`\vscodeicon[filetype]{lime}`	590
	lintstagedrc	`\vscodeicon[filetype]{lintstagedrc}`	591
	liquid	`\vscodeicon[filetype]{liquid}`	592
	lisp	`\vscodeicon[filetype]{lisp}`	593
	livescript	`\vscodeicon[filetype]{livescript}`	594
	lnk	`\vscodeicon[filetype]{lnk}`	595
	locale	`\vscodeicon[filetype]{locale}`	596
	log	`\vscodeicon[filetype]{log}`	597
	lolcode	`\vscodeicon[filetype]{lolcode}`	598
	lsl	`\vscodeicon[filetype]{lsl}`	599
	lua	`\vscodeicon[filetype]{lua}`	600
	luau	`\vscodeicon[filetype]{luau}`	601
	lychee	`\vscodeicon[filetype]{lychee}`	602
	lync	`\vscodeicon[filetype]{lync}`	603
	mailing	`\vscodeicon[filetype]{mailing}`	604
	manifest-bak	`\vscodeicon[filetype]{manifest-bak}`	605
	manifest-skip	`\vscodeicon[filetype]{manifest-skip}`	606
	manifest	`\vscodeicon[filetype]{manifest}`	607
	map	`\vscodeicon[filetype]{map}`	608
	mariadb	`\vscodeicon[filetype]{mariadb}`	609
	markdown	`\vscodeicon[filetype]{markdown}`	610
	markdownlint-ignore	`\vscodeicon[filetype]{markdownlint-ignore}`	611
	markdownlint	`\vscodeicon[filetype]{markdownlint}`	612
	marko	`\vscodeicon[filetype]{marko}`	613
	markojs	`\vscodeicon[filetype]{markojs}`	614
	markuplint	`\vscodeicon[filetype]{markuplint}`	615
	master-co	`\vscodeicon[filetype]{master-co}`	616
	matlab	`\vscodeicon[filetype]{matlab}`	617
	maven	`\vscodeicon[filetype]{maven}`	618
	maxscript	`\vscodeicon[filetype]{maxscript}`	619
	maya	`\vscodeicon[filetype]{maya}`	620
	mcp	`\vscodeicon[filetype]{mcp}`	621
	mdx-components	`\vscodeicon[filetype]{mdx-components}`	622
	mdx	`\vscodeicon[filetype]{mdx}`	623
	mdxlint	`\vscodeicon[filetype]{mdxlint}`	624
	mediawiki	`\vscodeicon[filetype]{mediawiki}`	625
	mercurial	`\vscodeicon[filetype]{mercurial}`	626
	mermaid	`\vscodeicon[filetype]{mermaid}`	627

Icon	Name	Direct command	PDF page
	meson	\vscodeicon[filetype]{meson}	628
	metal	\vscodeicon[filetype]{metal}	629
	meteor	\vscodeicon[filetype]{meteor}	630
	metro	\vscodeicon[filetype]{metro}	631
	mikro-orm	\vscodeicon[filetype]{mikro-orm}	632
	minecraft	\vscodeicon[filetype]{minecraft}	633
	mise	\vscodeicon[filetype]{mise}	634
	mivascript	\vscodeicon[filetype]{mivascript}	635
	mjml	\vscodeicon[filetype]{mjml}	636
	mlang	\vscodeicon[filetype]{mlang}	637
	mocha	\vscodeicon[filetype]{mocha}	638
	modernizr	\vscodeicon[filetype]{modernizr}	639
	modernjs	\vscodeicon[filetype]{modernjs}	640
	mojo	\vscodeicon[filetype]{mojo}	641
	mojolicious	\vscodeicon[filetype]{mojolicious}	642
	moleculer	\vscodeicon[filetype]{moleculer}	643
	mondoo	\vscodeicon[filetype]{mondoo}	644
	mongo	\vscodeicon[filetype]{mongo}	645
	monotone	\vscodeicon[filetype]{monotone}	646
	motif	\vscodeicon[filetype]{motif}	647
	mson	\vscodeicon[filetype]{mson}	648
	msw	\vscodeicon[filetype]{msw}	649
	mustache	\vscodeicon[filetype]{mustache}	650
	mvt	\vscodeicon[filetype]{mvt}	651
	mvtcss	\vscodeicon[filetype]{mvtcss}	652
	mvtjs	\vscodeicon[filetype]{mvtjs}	653
	mypy	\vscodeicon[filetype]{mypy}	654
	mysql	\vscodeicon[filetype]{mysql}	655
	n64	\vscodeicon[filetype]{n64}	656
	nanostaged	\vscodeicon[filetype]{nanostaged}	657
	ndst	\vscodeicon[filetype]{ndst}	658
	nearly	\vscodeicon[filetype]{nearly}	659
	neo4j	\vscodeicon[filetype]{neo4j}	660
	nest-adapter-js	\vscodeicon[filetype]{nest-adapter-js}	661
	nest-adapter-ts	\vscodeicon[filetype]{nest-adapter-ts}	662
	nest-controller-js	\vscodeicon[filetype]{nest-controller-js}	663
	nest-controller-ts	\vscodeicon[filetype]{nest-controller-ts}	664
	nest-decorator-js	\vscodeicon[filetype]{nest-decorator-js}	665
	nest-decorator-ts	\vscodeicon[filetype]{nest-decorator-ts}	666
	nest-filter-js	\vscodeicon[filetype]{nest-filter-js}	667
	nest-filter-ts	\vscodeicon[filetype]{nest-filter-ts}	668
	nest-gateway-js	\vscodeicon[filetype]{nest-gateway-js}	669
	nest-gateway-ts	\vscodeicon[filetype]{nest-gateway-ts}	670
	nest-guard-js	\vscodeicon[filetype]{nest-guard-js}	671
	nest-guard-ts	\vscodeicon[filetype]{nest-guard-ts}	672
	nest-interceptor-js	\vscodeicon[filetype]{nest-interceptor-js}	673

Icon	Name	Direct command	PDF page
	nest-interceptor-ts	\vscodeicon[filetype]{nest-interceptor-ts}	674
	nest-middleware-js	\vscodeicon[filetype]{nest-middleware-js}	675
	nest-middleware-ts	\vscodeicon[filetype]{nest-middleware-ts}	676
	nest-module-js	\vscodeicon[filetype]{nest-module-js}	677
	nest-module-ts	\vscodeicon[filetype]{nest-module-ts}	678
	nest-pipe-js	\vscodeicon[filetype]{nest-pipe-js}	679
	nest-pipe-ts	\vscodeicon[filetype]{nest-pipe-ts}	680
	nest-service-js	\vscodeicon[filetype]{nest-service-js}	681
	nest-service-ts	\vscodeicon[filetype]{nest-service-ts}	682
	nestjs	\vscodeicon[filetype]{nestjs}	683
	netlify	\vscodeicon[filetype]{netlify}	684
	next	\vscodeicon[filetype]{next}	685
	nextflow	\vscodeicon[filetype]{nextflow}	686
	ng-component-css	\vscodeicon[filetype]{ng-component-css}	687
	ng-component-dart	\vscodeicon[filetype]{ng-component-dart}	688
	ng-component-html	\vscodeicon[filetype]{ng-component-html}	689
	ng-component-js	\vscodeicon[filetype]{ng-component-js}	690
	ng-component-js2	\vscodeicon[filetype]{ng-component-js2}	691
	ng-component-less	\vscodeicon[filetype]{ng-component-less}	692
	ng-component-sass	\vscodeicon[filetype]{ng-component-sass}	693
	ng-component-scss	\vscodeicon[filetype]{ng-component-scss}	694
	ng-component-ts	\vscodeicon[filetype]{ng-component-ts}	695
	ng-component-ts2	\vscodeicon[filetype]{ng-component-ts2}	696
	ng-controller-js	\vscodeicon[filetype]{ng-controller-js}	697
	ng-controller-ts	\vscodeicon[filetype]{ng-controller-ts}	698
	ng-directive-dart	\vscodeicon[filetype]{ng-directive-dart}	699
	ng-directive-js	\vscodeicon[filetype]{ng-directive-js}	700
	ng-directive-js2	\vscodeicon[filetype]{ng-directive-js2}	701
	ng-directive-ts	\vscodeicon[filetype]{ng-directive-ts}	702
	ng-directive-ts2	\vscodeicon[filetype]{ng-directive-ts2}	703
	ng-guard-dart	\vscodeicon[filetype]{ng-guard-dart}	704
	ng-guard-js	\vscodeicon[filetype]{ng-guard-js}	705
	ng-guard-ts	\vscodeicon[filetype]{ng-guard-ts}	706
	ng-interceptor-dart	\vscodeicon[filetype]{ng-interceptor-dart}	707
	ng-interceptor-js	\vscodeicon[filetype]{ng-interceptor-js}	708
	ng-interceptor-ts	\vscodeicon[filetype]{ng-interceptor-ts}	709
	ng-module-dart	\vscodeicon[filetype]{ng-module-dart}	710
	ng-module-js	\vscodeicon[filetype]{ng-module-js}	711
	ng-module-js2	\vscodeicon[filetype]{ng-module-js2}	712
	ng-module-ts	\vscodeicon[filetype]{ng-module-ts}	713
	ng-module-ts2	\vscodeicon[filetype]{ng-module-ts2}	714
	ng-pipe-dart	\vscodeicon[filetype]{ng-pipe-dart}	715
	ng-pipe-js	\vscodeicon[filetype]{ng-pipe-js}	716
	ng-pipe-js2	\vscodeicon[filetype]{ng-pipe-js2}	717
	ng-pipe-ts	\vscodeicon[filetype]{ng-pipe-ts}	718
	ng-pipe-ts2	\vscodeicon[filetype]{ng-pipe-ts2}	719

Icon	Name	Direct command	PDF page
	ng-routing-dart	\vscodeicon[filetype]{ng-routing-dart}	720
	ng-routing-js	\vscodeicon[filetype]{ng-routing-js}	721
	ng-routing-js2	\vscodeicon[filetype]{ng-routing-js2}	722
	ng-routing-ts	\vscodeicon[filetype]{ng-routing-ts}	723
	ng-routing-ts2	\vscodeicon[filetype]{ng-routing-ts2}	724
	ng-service-dart	\vscodeicon[filetype]{ng-service-dart}	725
	ng-service-js	\vscodeicon[filetype]{ng-service-js}	726
	ng-service-js2	\vscodeicon[filetype]{ng-service-js2}	727
	ng-service-ts	\vscodeicon[filetype]{ng-service-ts}	728
	ng-service-ts2	\vscodeicon[filetype]{ng-service-ts2}	729
	ng-smart-component-dart	\vscodeicon[filetype]{ng-smart-component-dart}	730
	ng-smart-component-js	\vscodeicon[filetype]{ng-smart-component-js}	731
	ng-smart-component-js2	\vscodeicon[filetype]{ng-smart-component-js2}	732
	ng-smart-component-ts	\vscodeicon[filetype]{ng-smart-component-ts}	733
	ng-smart-component-ts2	\vscodeicon[filetype]{ng-smart-component-ts2}	734
	ng-tailwind	\vscodeicon[filetype]{ng-tailwind}	735
	nginx	\vscodeicon[filetype]{nginx}	736
	nim	\vscodeicon[filetype]{nim}	737
	nimble	\vscodeicon[filetype]{nimble}	738
	ninja	\vscodeicon[filetype]{ninja}	739
	nix	\vscodeicon[filetype]{nix}	740
	njsproj	\vscodeicon[filetype]{njsproj}	741
	noc	\vscodeicon[filetype]{noc}	742
	node	\vscodeicon[filetype]{node}	743
	node2	\vscodeicon[filetype]{node2}	744
	nodemon	\vscodeicon[filetype]{nodemon}	745
	npm	\vscodeicon[filetype]{npm}	746
	npmpackagejsonlint	\vscodeicon[filetype]{npmpackagejsonlint}	747
	nsi	\vscodeicon[filetype]{nsi}	748
	nsri-integrity	\vscodeicon[filetype]{nsri-integrity}	749
	nsri	\vscodeicon[filetype]{nsri}	750
	nuget	\vscodeicon[filetype]{nuget}	751
	numpy	\vscodeicon[filetype]{numpy}	752
	nunjucks	\vscodeicon[filetype]{nunjucks}	753
	nushell	\vscodeicon[filetype]{nushell}	754
	nuxt	\vscodeicon[filetype]{nuxt}	755
	nx	\vscodeicon[filetype]{nx}	756
	nyc	\vscodeicon[filetype]{nyc}	757
	objectivec	\vscodeicon[filetype]{objectivec}	758
	objectivecpp	\vscodeicon[filetype]{objectivecpp}	759
	objidconfig	\vscodeicon[filetype]{objidconfig}	760
	ocaml-intf	\vscodeicon[filetype]{ocaml-intf}	761
	ocaml	\vscodeicon[filetype]{ocaml}	762
	ogone	\vscodeicon[filetype]{ogone}	763
	onenote	\vscodeicon[filetype]{onenote}	764
	opam	\vscodeicon[filetype]{opam}	765

Icon	Name	Direct command	PDF page
	opencl	\vscodeicon[filetype]{opencl}	766
	opencode	\vscodeicon[filetype]{opencode}	767
	openHAB	\vscodeicon[filetype]{openHAB}	768
	openscad	\vscodeicon[filetype]{openscad}	769
	opentofu	\vscodeicon[filetype]{opentofu}	770
	org	\vscodeicon[filetype]{org}	771
	orval	\vscodeicon[filetype]{orval}	772
	outlook	\vscodeicon[filetype]{outlook}	773
	ovpn	\vscodeicon[filetype]{ovpn}	774
	oxc	\vscodeicon[filetype]{oxc}	775
	package	\vscodeicon[filetype]{package}	776
	packship	\vscodeicon[filetype]{packship}	777
	paket	\vscodeicon[filetype]{paket}	778
	pandacss	\vscodeicon[filetype]{pandacss}	779
	parcel	\vscodeicon[filetype]{parcel}	780
	parquet	\vscodeicon[filetype]{parquet}	781
	patch	\vscodeicon[filetype]{patch}	782
	pawn	\vscodeicon[filetype]{pawn}	783
	pcl	\vscodeicon[filetype]{pcl}	784
	pddl-happenings	\vscodeicon[filetype]{pddl-happenings}	785
	pddl-plan	\vscodeicon[filetype]{pddl-plan}	786
	pddl	\vscodeicon[filetype]{pddl}	787
	pdf	\vscodeicon[filetype]{pdf}	788
	pdf2	\vscodeicon[filetype]{pdf2}	789
	pdm	\vscodeicon[filetype]{pdm}	790
	peeky	\vscodeicon[filetype]{peeky}	791
	perl	\vscodeicon[filetype]{perl}	792
	perl2	\vscodeicon[filetype]{perl2}	793
	perl6	\vscodeicon[filetype]{perl6}	794
	pgsql	\vscodeicon[filetype]{pgsql}	795
	photoshop	\vscodeicon[filetype]{photoshop}	796
	photoshop2	\vscodeicon[filetype]{photoshop2}	797
	php	\vscodeicon[filetype]{php}	798
	php2	\vscodeicon[filetype]{php2}	799
	php3	\vscodeicon[filetype]{php3}	800
	phpcsfixer	\vscodeicon[filetype]{phpcsfixer}	801
	phpstan	\vscodeicon[filetype]{phpstan}	802
	phpunit	\vscodeicon[filetype]{phpunit}	803
	phraseapp	\vscodeicon[filetype]{phraseapp}	804
	pine	\vscodeicon[filetype]{pine}	805
	pip	\vscodeicon[filetype]{pip}	806
	pipeline	\vscodeicon[filetype]{pipeline}	807
	pixi	\vscodeicon[filetype]{pixi}	808
	plantuml	\vscodeicon[filetype]{plantuml}	809
	platformio	\vscodeicon[filetype]{platformio}	810
	playwright	\vscodeicon[filetype]{playwright}	811

Icon	Name	Direct command	PDF page
	plsql-package-body	\vscodeicon[filetype]{plsql-package-body}	812
	plsql-package-header	\vscodeicon[filetype]{plsql-package-header}	813
	plsql-package-spec	\vscodeicon[filetype]{plsql-package-spec}	814
	plsql-package	\vscodeicon[filetype]{plsql-package}	815
	plsql	\vscodeicon[filetype]{plsql}	816
	pm2	\vscodeicon[filetype]{pm2}	817
	pnpm	\vscodeicon[filetype]{pnpm}	818
	poedit	\vscodeicon[filetype]{poedit}	819
	poetry	\vscodeicon[filetype]{poetry}	820
	polyglot	\vscodeicon[filetype]{polyglot}	821
	polymer	\vscodeicon[filetype]{polymer}	822
	pony	\vscodeicon[filetype]{pony}	823
	postcss	\vscodeicon[filetype]{postcss}	824
	postcssconfig	\vscodeicon[filetype]{postcssconfig}	825
	postman	\vscodeicon[filetype]{postman}	826
	postscript	\vscodeicon[filetype]{postscript}	827
	powerbi	\vscodeicon[filetype]{powerbi}	828
	powerpoint	\vscodeicon[filetype]{powerpoint}	829
	powerpoint2	\vscodeicon[filetype]{powerpoint2}	830
	powershell-format	\vscodeicon[filetype]{powershell-format}	831
	powershell-psd	\vscodeicon[filetype]{powershell-psd}	832
	powershell-psd2	\vscodeicon[filetype]{powershell-psd2}	833
	powershell-psm	\vscodeicon[filetype]{powershell-psm}	834
	powershell-psm2	\vscodeicon[filetype]{powershell-psm2}	835
	powershell-types	\vscodeicon[filetype]{powershell-types}	836
	powershell	\vscodeicon[filetype]{powershell}	837
	powershell2	\vscodeicon[filetype]{powershell2}	838
	preact	\vscodeicon[filetype]{preact}	839
	precommit	\vscodeicon[filetype]{precommit}	840
	prettier	\vscodeicon[filetype]{prettier}	841
	prisma	\vscodeicon[filetype]{prisma}	842
	prismaconfig	\vscodeicon[filetype]{prismaconfig}	843
	processinglang	\vscodeicon[filetype]{processinglang}	844
	procfile	\vscodeicon[filetype]{procfile}	845
	progress	\vscodeicon[filetype]{progress}	846
	prolog	\vscodeicon[filetype]{prolog}	847
	prometheus	\vscodeicon[filetype]{prometheus}	848
	protobuf	\vscodeicon[filetype]{protobuf}	849
	protractor	\vscodeicon[filetype]{protractor}	850
	publiccode	\vscodeicon[filetype]{publiccode}	851
	publisher	\vscodeicon[filetype]{publisher}	852
	pug	\vscodeicon[filetype]{pug}	853
	pulumi	\vscodeicon[filetype]{pulumi}	854
	puppet	\vscodeicon[filetype]{puppet}	855
	purescript	\vscodeicon[filetype]{purescript}	856
	purgecss	\vscodeicon[filetype]{purgecss}	857

Icon	Name	Direct command	PDF page
	pyenv	\vscodeicon[filetype]{pyenv}	858
	pypi	\vscodeicon[filetype]{pypi}	859
	pyret	\vscodeicon[filetype]{pyret}	860
	pyscript	\vscodeicon[filetype]{pyscript}	861
	pytest	\vscodeicon[filetype]{pytest}	862
	python	\vscodeicon[filetype]{python}	863
	pythonconfig	\vscodeicon[filetype]{pythonconfig}	864
	pythowo	\vscodeicon[filetype]{pythowo}	865
	pytyped	\vscodeicon[filetype]{pytyped}	866
	pyup	\vscodeicon[filetype]{pyup}	867
	q	\vscodeicon[filetype]{q}	868
	qbs	\vscodeicon[filetype]{qbs}	869
	qlikview	\vscodeicon[filetype]{qlikview}	870
	qml	\vscodeicon[filetype]{qml}	871
	qmldir	\vscodeicon[filetype]{qmldir}	872
	qrc	\vscodeicon[filetype]{qrc}	873
	qsharp	\vscodeicon[filetype]{qsharp}	874
	quasar	\vscodeicon[filetype]{quasar}	875
	quokka	\vscodeicon[filetype]{quokka}	876
	r	\vscodeicon[filetype]{r}	877
	ra-syntax-tree	\vscodeicon[filetype]{ra-syntax-tree}	878
	racket	\vscodeicon[filetype]{racket}	879
	rails	\vscodeicon[filetype]{rails}	880
	railway	\vscodeicon[filetype]{railway}	881
	rake	\vscodeicon[filetype]{rake}	882
	raku	\vscodeicon[filetype]{raku}	883
	raml	\vscodeicon[filetype]{raml}	884
	razor	\vscodeicon[filetype]{razor}	885
	razzle	\vscodeicon[filetype]{razzle}	886
	reactjs	\vscodeicon[filetype]{reactjs}	887
	reactrouter	\vscodeicon[filetype]{reactrouter}	888
	reacttemplate	\vscodeicon[filetype]{reacttemplate}	889
	reactts	\vscodeicon[filetype]{reactts}	890
	readthedocs	\vscodeicon[filetype]{readthedocs}	891
	reason	\vscodeicon[filetype]{reason}	892
	red	\vscodeicon[filetype]{red}	893
	registry	\vscodeicon[filetype]{registry}	894
	rego	\vscodeicon[filetype]{rego}	895
	rehype	\vscodeicon[filetype]{rehype}	896
	remark	\vscodeicon[filetype]{remark}	897
	render	\vscodeicon[filetype]{render}	898
	renovate	\vscodeicon[filetype]{renovate}	899
	replit	\vscodeicon[filetype]{replit}	900
	rescript	\vscodeicon[filetype]{rescript}	901
	rest	\vscodeicon[filetype]{rest}	902
	retext	\vscodeicon[filetype]{retext}	903

Icon	Name	Direct command	PDF page
	rexx	`\vscodeicon[filetype]{rexx}`	904
	riot	`\vscodeicon[filetype]{riot}`	905
	ripple	`\vscodeicon[filetype]{ripple}`	906
	rmd	`\vscodeicon[filetype]{rmd}`	907
	rnc	`\vscodeicon[filetype]{rnc}`	908
	robotframework	`\vscodeicon[filetype]{robotframework}`	909
	robots	`\vscodeicon[filetype]{robots}`	910
	rolldown	`\vscodeicon[filetype]{rolldown}`	911
	rollup	`\vscodeicon[filetype]{rollup}`	912
	rome	`\vscodeicon[filetype]{rome}`	913
	ron	`\vscodeicon[filetype]{ron}`	914
	rproj	`\vscodeicon[filetype]{rproj}`	915
	rspec	`\vscodeicon[filetype]{rspec}`	916
	rss	`\vscodeicon[filetype]{rss}`	917
	rubocop	`\vscodeicon[filetype]{rubocop}`	918
	ruby	`\vscodeicon[filetype]{ruby}`	919
	ruff	`\vscodeicon[filetype]{ruff}`	920
	rust-toolchain	`\vscodeicon[filetype]{rust-toolchain}`	921
	rust	`\vscodeicon[filetype]{rust}`	922
	s-lang	`\vscodeicon[filetype]{s-lang}`	923
	safetensors	`\vscodeicon[filetype]{safetensors}`	924
	sails	`\vscodeicon[filetype]{sails}`	925
	saltstack	`\vscodeicon[filetype]{saltstack}`	926
	san	`\vscodeicon[filetype]{san}`	927
	sapphire-framework-cli	`\vscodeicon[filetype]{sapphire-framework-cli}`	928
	sas	`\vscodeicon[filetype]{sas}`	929
	sass	`\vscodeicon[filetype]{sass}`	930
	sbt	`\vscodeicon[filetype]{sbt}`	931
	scala	`\vscodeicon[filetype]{scala}`	932
	scilab	`\vscodeicon[filetype]{scilab}`	933
	script	`\vscodeicon[filetype]{script}`	934
	scss	`\vscodeicon[filetype]{scss}`	935
	scss2	`\vscodeicon[filetype]{scss2}`	936
	sdlang	`\vscodeicon[filetype]{sdlang}`	937
	search-result	`\vscodeicon[filetype]{search-result}`	938
	seedkit	`\vscodeicon[filetype]{seedkit}`	939
	sentry	`\vscodeicon[filetype]{sentry}`	940
	sequelize	`\vscodeicon[filetype]{sequelize}`	941
	serverless	`\vscodeicon[filetype]{serverless}`	942
	shadcn	`\vscodeicon[filetype]{shadcn}`	943
	shaderlab	`\vscodeicon[filetype]{shaderlab}`	944
	shell	`\vscodeicon[filetype]{shell}`	945
	shellcheck	`\vscodeicon[filetype]{shellcheck}`	946
	shuttle	`\vscodeicon[filetype]{shuttle}`	947
	silverstripe	`\vscodeicon[filetype]{silverstripe}`	948
	sino	`\vscodeicon[filetype]{sino}`	949

Icon	Name	Direct command	PDF page
	sitemap	\vscodeicon[filetype]{sitemap}	950
	siyuan	\vscodeicon[filetype]{siyuan}	951
	sketch	\vscodeicon[filetype]{sketch}	952
	skill	\vscodeicon[filetype]{skill}	953
	skipper	\vscodeicon[filetype]{skipper}	954
	slang	\vscodeicon[filetype]{slang}	955
	slashup	\vscodeicon[filetype]{slashup}	956
	slice	\vscodeicon[filetype]{slice}	957
	slim	\vscodeicon[filetype]{slim}	958
	slint	\vscodeicon[filetype]{slint}	959
	sln	\vscodeicon[filetype]{sln}	960
	sln2	\vscodeicon[filetype]{sln2}	961
	smarty	\vscodeicon[filetype]{smarty}	962
	smithery	\vscodeicon[filetype]{smithery}	963
	snakemake	\vscodeicon[filetype]{snakemake}	964
	snapcraft	\vscodeicon[filetype]{snapcraft}	965
	snaplet	\vscodeicon[filetype]{snaplet}	966
	snort	\vscodeicon[filetype]{snort}	967
	snyk	\vscodeicon[filetype]{snyk}	968
	solidarity	\vscodeicon[filetype]{solidarity}	969
	solidity	\vscodeicon[filetype]{solidity}	970
	source	\vscodeicon[filetype]{source}	971
	spacengine	\vscodeicon[filetype]{spacengine}	972
	sparql	\vscodeicon[filetype]{sparql}	973
	spin	\vscodeicon[filetype]{spin}	974
	sqf	\vscodeicon[filetype]{sqf}	975
	sql	\vscodeicon[filetype]{sql}	976
	sqlite	\vscodeicon[filetype]{sqlite}	977
	squirrel	\vscodeicon[filetype]{squirrel}	978
	sss	\vscodeicon[filetype]{sss}	979
	sst	\vscodeicon[filetype]{sst}	980
	stackblitz	\vscodeicon[filetype]{stackblitz}	981
	stan	\vscodeicon[filetype]{stan}	982
	stata	\vscodeicon[filetype]{stata}	983
	stencil	\vscodeicon[filetype]{stencil}	984
	storyboard	\vscodeicon[filetype]{storyboard}	985
	storybook	\vscodeicon[filetype]{storybook}	986
	stryker	\vscodeicon[filetype]{stryker}	987
	stylable	\vscodeicon[filetype]{stylable}	988
	style	\vscodeicon[filetype]{style}	989
	styled	\vscodeicon[filetype]{styled}	990
	stylelint	\vscodeicon[filetype]{stylelint}	991
	stylish-haskell	\vscodeicon[filetype]{stylish-haskell}	992
	stylus	\vscodeicon[filetype]{stylus}	993
	sublime	\vscodeicon[filetype]{sublime}	994
	subversion	\vscodeicon[filetype]{subversion}	995

Icon	Name	Direct command	PDF page
	svelte	`\vscodeicon[filetype]{svelte}`	996
	svelteconfig	`\vscodeicon[filetype]{svelteconfig}`	997
	svg	`\vscodeicon[filetype]{svg}`	998
	svgo	`\vscodeicon[filetype]{svgo}`	999
	swagger	`\vscodeicon[filetype]{swagger}`	1000
	swc	`\vscodeicon[filetype]{swc}`	1001
	swift	`\vscodeicon[filetype]{swift}`	1002
	swig	`\vscodeicon[filetype]{swig}`	1003
	symfony	`\vscodeicon[filetype]{symfony}`	1004
	syncpack	`\vscodeicon[filetype]{syncpack}`	1005
	systemd	`\vscodeicon[filetype]{systemd}`	1006
	systemverilog	`\vscodeicon[filetype]{systemverilog}`	1007
	t4tt	`\vscodeicon[filetype]{t4tt}`	1008
	tailwind	`\vscodeicon[filetype]{tailwind}`	1009
	tamagui	`\vscodeicon[filetype]{tamagui}`	1010
	taplo	`\vscodeicon[filetype]{taplo}`	1011
	taskfile	`\vscodeicon[filetype]{taskfile}`	1012
	tauri	`\vscodeicon[filetype]{tauri}`	1013
	tcl	`\vscodeicon[filetype]{tcl}`	1014
	teal	`\vscodeicon[filetype]{teal}`	1015
	templ	`\vscodeicon[filetype]{templ}`	1016
	tera	`\vscodeicon[filetype]{tera}`	1017
	terraform	`\vscodeicon[filetype]{terraform}`	1018
	test	`\vscodeicon[filetype]{test}`	1019
	testcafe	`\vscodeicon[filetype]{testcafe}`	1020
	testjs	`\vscodeicon[filetype]{testjs}`	1021
	testplane	`\vscodeicon[filetype]{testplane}`	1022
	testts	`\vscodeicon[filetype]{testts}`	1023
	tex	`\vscodeicon[filetype]{tex}`	1024
	text	`\vscodeicon[filetype]{text}`	1025
	textile	`\vscodeicon[filetype]{textile}`	1026
	textlint	`\vscodeicon[filetype]{textlint}`	1027
	tfs	`\vscodeicon[filetype]{tfs}`	1028
	thinkscript	`\vscodeicon[filetype]{thinkscript}`	1029
	tiltfile	`\vscodeicon[filetype]{tiltfile}`	1030
	tm	`\vscodeicon[filetype]{tm}`	1031
	tmux	`\vscodeicon[filetype]{tmux}`	1032
	todo	`\vscodeicon[filetype]{todo}`	1033
	toit	`\vscodeicon[filetype]{toit}`	1034
	toml	`\vscodeicon[filetype]{toml}`	1035
	toon	`\vscodeicon[filetype]{toon}`	1036
	tox	`\vscodeicon[filetype]{tox}`	1037
	travis	`\vscodeicon[filetype]{travis}`	1038
	tree	`\vscodeicon[filetype]{tree}`	1039
	tres	`\vscodeicon[filetype]{tres}`	1040
	trivy	`\vscodeicon[filetype]{trivy}`	1041

Icon	Name	Direct command	PDF page
	truffle	`\vscodeicon[filetype]{truffle}`	1042
	trunk	`\vscodeicon[filetype]{trunk}`	1043
	tsbuildinfo	`\vscodeicon[filetype]{tsbuildinfo}`	1044
	tscn	`\vscodeicon[filetype]{tscn}`	1045
	tsconfig-official	`\vscodeicon[filetype]{tsconfig-official}`	1046
	tsconfig	`\vscodeicon[filetype]{tsconfig}`	1047
	tsdoc	`\vscodeicon[filetype]{tsdoc}`	1048
	tsdown	`\vscodeicon[filetype]{tsdown}`	1049
	tslint	`\vscodeicon[filetype]{tslint}`	1050
	tt	`\vscodeicon[filetype]{tt}`	1051
	ttcn	`\vscodeicon[filetype]{ttcn}`	1052
	tuc	`\vscodeicon[filetype]{tuc}`	1053
	turbo	`\vscodeicon[filetype]{turbo}`	1054
	twig	`\vscodeicon[filetype]{twig}`	1055
	typedoc	`\vscodeicon[filetype]{typedoc}`	1056
	typescript-official	`\vscodeicon[filetype]{typescript-official}`	1057
	typescript	`\vscodeicon[filetype]{typescript}`	1058
	typescriptdef-official	`\vscodeicon[filetype]{typescriptdef-official}`	1059
	typescriptdef	`\vscodeicon[filetype]{typescriptdef}`	1060
	typo3	`\vscodeicon[filetype]{typo3}`	1061
	uiua	`\vscodeicon[filetype]{uiua}`	1062
	unibeautify	`\vscodeicon[filetype]{unibeautify}`	1063
	unison	`\vscodeicon[filetype]{unison}`	1064
	unlicense	`\vscodeicon[filetype]{unlicense}`	1065
	unocss	`\vscodeicon[filetype]{unocss}`	1066
	uv	`\vscodeicon[filetype]{uv}`	1067
	vagrant	`\vscodeicon[filetype]{vagrant}`	1068
	vala	`\vscodeicon[filetype]{vala}`	1069
	vale	`\vscodeicon[filetype]{vale}`	1070
	vanilla-extract	`\vscodeicon[filetype]{vanilla-extract}`	1071
	vapi	`\vscodeicon[filetype]{vapi}`	1072
	vapor	`\vscodeicon[filetype]{vapor}`	1073
	vash	`\vscodeicon[filetype]{vash}`	1074
	vb	`\vscodeicon[filetype]{vb}`	1075
	vba	`\vscodeicon[filetype]{vba}`	1076
	vbhtml	`\vscodeicon[filetype]{vbhtml}`	1077
	vbproj	`\vscodeicon[filetype]{vbproj}`	1078
	vcxproj	`\vscodeicon[filetype]{vcxproj}`	1079
	velocity	`\vscodeicon[filetype]{velocity}`	1080
	vento	`\vscodeicon[filetype]{vento}`	1081
	vercel	`\vscodeicon[filetype]{vercel}`	1082
	verilog	`\vscodeicon[filetype]{verilog}`	1083
	vhdl	`\vscodeicon[filetype]{vhdl}`	1084
	video	`\vscodeicon[filetype]{video}`	1085
	view	`\vscodeicon[filetype]{view}`	1086
	vim	`\vscodeicon[filetype]{vim}`	1087

Icon	Name	Direct command	PDF page
	vite	`\vscodeicon[filetype]{vite}`	1088
	vitest	`\vscodeicon[filetype]{vitest}`	1089
	vlang	`\vscodeicon[filetype]{vlang}`	1090
	volt	`\vscodeicon[filetype]{volt}`	1091
	vroom	`\vscodeicon[filetype]{vroom}`	1092
	vscode-insiders	`\vscodeicon[filetype]{vscode-insiders}`	1093
	vscode-test	`\vscodeicon[filetype]{vscode-test}`	1094
	vscode	`\vscodeicon[filetype]{vscode}`	1095
	vscode2	`\vscodeicon[filetype]{vscode2}`	1096
	vscode3	`\vscodeicon[filetype]{vscode3}`	1097
	vsix	`\vscodeicon[filetype]{vsix}`	1098
	vsixmanifest	`\vscodeicon[filetype]{vsixmanifest}`	1099
	vue	`\vscodeicon[filetype]{vue}`	1100
	vueconfig	`\vscodeicon[filetype]{vueconfig}`	1101
	vvvvvv	`\vscodeicon[filetype]{vvvvvv}`	1102
	vyper	`\vscodeicon[filetype]{vyper}`	1103
	wallaby	`\vscodeicon[filetype]{wallaby}`	1104
	wally	`\vscodeicon[filetype]{wally}`	1105
	warp	`\vscodeicon[filetype]{warp}`	1106
	wasm	`\vscodeicon[filetype]{wasm}`	1107
	wasp	`\vscodeicon[filetype]{wasp}`	1108
	watchmanconfig	`\vscodeicon[filetype]{watchmanconfig}`	1109
	wdio	`\vscodeicon[filetype]{wdio}`	1110
	weblate	`\vscodeicon[filetype]{weblate}`	1111
	webpack	`\vscodeicon[filetype]{webpack}`	1112
	wenyan	`\vscodeicon[filetype]{wenyan}`	1113
	wercker	`\vscodeicon[filetype]{wercker}`	1114
	wesl	`\vscodeicon[filetype]{wesl}`	1115
	wgsl	`\vscodeicon[filetype]{wgsl}`	1116
	wikitext	`\vscodeicon[filetype]{wikitext}`	1117
	windi	`\vscodeicon[filetype]{windi}`	1118
	wit	`\vscodeicon[filetype]{wit}`	1119
	wolfram	`\vscodeicon[filetype]{wolfram}`	1120
	word	`\vscodeicon[filetype]{word}`	1121
	word2	`\vscodeicon[filetype]{word2}`	1122
	wpml	`\vscodeicon[filetype]{wpml}`	1123
	wurst	`\vscodeicon[filetype]{wurst}`	1124
	wxml	`\vscodeicon[filetype]{wxml}`	1125
	wxss	`\vscodeicon[filetype]{wxss}`	1126
	wxt	`\vscodeicon[filetype]{wxt}`	1127
	xaml	`\vscodeicon[filetype]{xaml}`	1128
	xcode	`\vscodeicon[filetype]{xcode}`	1129
	xfl	`\vscodeicon[filetype]{xfl}`	1130
	xib	`\vscodeicon[filetype]{xib}`	1131
	xliff	`\vscodeicon[filetype]{xliff}`	1132
	xmake	`\vscodeicon[filetype]{xmake}`	1133

Icon	Name	Direct command	PDF page
	xml	`\vscodeicon[filetype]{xml}`	1134
	xo	`\vscodeicon[filetype]{xo}`	1135
	xorg	`\vscodeicon[filetype]{xorg}`	1136
	xquery	`\vscodeicon[filetype]{xquery}`	1137
	xsl	`\vscodeicon[filetype]{xsl}`	1138
	yacc	`\vscodeicon[filetype]{yacc}`	1139
	yaml-official	`\vscodeicon[filetype]{yaml-official}`	1140
	yaml	`\vscodeicon[filetype]{yaml}`	1141
	yamllint	`\vscodeicon[filetype]{yamllint}`	1142
	yandex	`\vscodeicon[filetype]{yandex}`	1143
	yang	`\vscodeicon[filetype]{yang}`	1144
	yarn	`\vscodeicon[filetype]{yarn}`	1145
	yeoman	`\vscodeicon[filetype]{yeoman}`	1146
	zig	`\vscodeicon[filetype]{zig}`	1147
	zip	`\vscodeicon[filetype]{zip}`	1148
	zip2	`\vscodeicon[filetype]{zip2}`	1149
	zizmor	`\vscodeicon[filetype]{zizmor}`	1150

3.3 FolderType version (362 icons)

The PDF file is `vscodeicons-foldertype-all.pdf`

Icon	Name	Direct command	PDF page
	android-opened	`\vscodeicon[foldertype]{android-opened}`	1
	android	`\vscodeicon[foldertype]{android}`	2
	angular-opened	`\vscodeicon[foldertype]{angular-opened}`	3
	angular	`\vscodeicon[foldertype]{angular}`	4
	apache-opened	`\vscodeicon[foldertype]{apache-opened}`	5
	apache	`\vscodeicon[foldertype]{apache}`	6
	api-opened	`\vscodeicon[foldertype]{api-opened}`	7
	api	`\vscodeicon[foldertype]{api}`	8
	app-opened	`\vscodeicon[foldertype]{app-opened}`	9
	app	`\vscodeicon[foldertype]{app}`	10
	arangodb-opened	`\vscodeicon[foldertype]{arangodb-opened}`	11
	arangodb	`\vscodeicon[foldertype]{arangodb}`	12
	asset-opened	`\vscodeicon[foldertype]{asset-opened}`	13
	asset	`\vscodeicon[foldertype]{asset}`	14
	astro-opened	`\vscodeicon[foldertype]{astro-opened}`	15
	astro	`\vscodeicon[foldertype]{astro}`	16
	audio-opened	`\vscodeicon[foldertype]{audio-opened}`	17
	audio	`\vscodeicon[foldertype]{audio}`	18
	aurelia-opened	`\vscodeicon[foldertype]{aurelia-opened}`	19
	aurelia	`\vscodeicon[foldertype]{aurelia}`	20
	aws-opened	`\vscodeicon[foldertype]{aws-opened}`	21
	aws	`\vscodeicon[foldertype]{aws}`	22

Icon	Name	Direct command	PDF page
	*azure-opened*	\vscodeicon[foldertype]{azure-opened}	23
	*azure*	\vscodeicon[foldertype]{azure}	24
	*azurepipelines-opened*	\vscodeicon[foldertype]{azurepipelines-opened}	25
	*azurepipelines*	\vscodeicon[foldertype]{azurepipelines}	26
	*binary-opened*	\vscodeicon[foldertype]{binary-opened}	27
	*binary*	\vscodeicon[foldertype]{binary}	28
	*bloc-opened*	\vscodeicon[foldertype]{bloc-opened}	29
	*bloc*	\vscodeicon[foldertype]{bloc}	30
	*blueprint-opened*	\vscodeicon[foldertype]{blueprint-opened}	31
	*blueprint*	\vscodeicon[foldertype]{blueprint}	32
	*bot-opened*	\vscodeicon[foldertype]{bot-opened}	33
	*bot*	\vscodeicon[foldertype]{bot}	34
	*bower-opened*	\vscodeicon[foldertype]{bower-opened}	35
	*bower*	\vscodeicon[foldertype]{bower}	36
	*buildkite-opened*	\vscodeicon[foldertype]{buildkite-opened}	37
	*buildkite*	\vscodeicon[foldertype]{buildkite}	38
	*cake-opened*	\vscodeicon[foldertype]{cake-opened}	39
	*cake*	\vscodeicon[foldertype]{cake}	40
	*cargo-opened*	\vscodeicon[foldertype]{cargo-opened}	41
	*cargo*	\vscodeicon[foldertype]{cargo}	42
	*certificate-opened*	\vscodeicon[foldertype]{certificate-opened}	43
	*certificate*	\vscodeicon[foldertype]{certificate}	44
	*changesets-opened*	\vscodeicon[foldertype]{changesets-opened}	45
	*changesets*	\vscodeicon[foldertype]{changesets}	46
	*chef-opened*	\vscodeicon[foldertype]{chef-opened}	47
	*chef*	\vscodeicon[foldertype]{chef}	48
	*circleci-opened*	\vscodeicon[foldertype]{circleci-opened}	49
	*circleci*	\vscodeicon[foldertype]{circleci}	50
	*claude-opened*	\vscodeicon[foldertype]{claude-opened}	51
	*claude*	\vscodeicon[foldertype]{claude}	52
	*cli-opened*	\vscodeicon[foldertype]{cli-opened}	53
	*cli*	\vscodeicon[foldertype]{cli}	54
	*client-opened*	\vscodeicon[foldertype]{client-opened}	55
	*client*	\vscodeicon[foldertype]{client}	56
	*cloudflare-opened*	\vscodeicon[foldertype]{cloudflare-opened}	57
	*cloudflare*	\vscodeicon[foldertype]{cloudflare}	58
	*cmake-opened*	\vscodeicon[foldertype]{cmake-opened}	59
	*cmake*	\vscodeicon[foldertype]{cmake}	60
	*common-opened*	\vscodeicon[foldertype]{common-opened}	61
	*common*	\vscodeicon[foldertype]{common}	62
	component-opened	\vscodeicon[foldertype]{component-opened}	63
	component	\vscodeicon[foldertype]{component}	64
	composer-opened	\vscodeicon[foldertype]{composer-opened}	65
	composer	\vscodeicon[foldertype]{composer}	66
	config-opened	\vscodeicon[foldertype]{config-opened}	67
	config	\vscodeicon[foldertype]{config}	68

Icon	Name	Direct command	PDF page
	*controller-opened*	\vscodeicon[foldertype]{controller-opened}	69
	*controller*	\vscodeicon[foldertype]{controller}	70
	*coverage-opened*	\vscodeicon[foldertype]{coverage-opened}	71
	*coverage*	\vscodeicon[foldertype]{coverage}	72
	*css-opened*	\vscodeicon[foldertype]{css-opened}	73
	*css*	\vscodeicon[foldertype]{css}	74
	*css2-opened*	\vscodeicon[foldertype]{css2-opened}	75
	*css2*	\vscodeicon[foldertype]{css2}	76
	*cubit-opened*	\vscodeicon[foldertype]{cubit-opened}	77
	*cubit*	\vscodeicon[foldertype]{cubit}	78
	*cursor-opened*	\vscodeicon[foldertype]{cursor-opened}	79
	*cursor*	\vscodeicon[foldertype]{cursor}	80
	*cypress-opened*	\vscodeicon[foldertype]{cypress-opened}	81
	*cypress*	\vscodeicon[foldertype]{cypress}	82
	*dapr-opened*	\vscodeicon[foldertype]{dapr-opened}	83
	*dapr*	\vscodeicon[foldertype]{dapr}	84
	*dart-opened*	\vscodeicon[foldertype]{dart-opened}	85
	*dart*	\vscodeicon[foldertype]{dart}	86
	*databricks-opened*	\vscodeicon[foldertype]{databricks-opened}	87
	*databricks*	\vscodeicon[foldertype]{databricks}	88
	*datadog-opened*	\vscodeicon[foldertype]{datadog-opened}	89
	*datadog*	\vscodeicon[foldertype]{datadog}	90
	*db-opened*	\vscodeicon[foldertype]{db-opened}	91
	*db*	\vscodeicon[foldertype]{db}	92
	*debian-opened*	\vscodeicon[foldertype]{debian-opened}	93
	*debian*	\vscodeicon[foldertype]{debian}	94
	*dependabot-opened*	\vscodeicon[foldertype]{dependabot-opened}	95
	*dependabot*	\vscodeicon[foldertype]{dependabot}	96
	*devcontainer-opened*	\vscodeicon[foldertype]{devcontainer-opened}	97
	*devcontainer*	\vscodeicon[foldertype]{devcontainer}	98
	*devenv-opened*	\vscodeicon[foldertype]{devenv-opened}	99
	*devenv*	\vscodeicon[foldertype]{devenv}	100
	*dist-opened*	\vscodeicon[foldertype]{dist-opened}	101
	*dist*	\vscodeicon[foldertype]{dist}	102
	*docker-opened*	\vscodeicon[foldertype]{docker-opened}	103
	*docker*	\vscodeicon[foldertype]{docker}	104
	*docs-opened*	\vscodeicon[foldertype]{docs-opened}	105
	*docs*	\vscodeicon[foldertype]{docs}	106
	*e2e-opened*	\vscodeicon[foldertype]{e2e-opened}	107
	*e2e*	\vscodeicon[foldertype]{e2e}	108
	elasticbeanstalk-opened	\vscodeicon[foldertype]{elasticbeanstalk-opened}	109
	elasticbeanstalk	\vscodeicon[foldertype]{elasticbeanstalk}	110
	electron-opened	\vscodeicon[foldertype]{electron-opened}	111
	electron	\vscodeicon[foldertype]{electron}	112
	environments-opened	\vscodeicon[foldertype]{environments-opened}	113
	environments	\vscodeicon[foldertype]{environments}	114

Icon	Name	Direct command	PDF page
	*expo-opened*	`\vscodeicon[foldertype]{expo-opened}`	115
	*expo*	`\vscodeicon[foldertype]{expo}`	116
	*favicon-opened*	`\vscodeicon[foldertype]{favicon-opened}`	117
	*favicon*	`\vscodeicon[foldertype]{favicon}`	118
	*flow-opened*	`\vscodeicon[foldertype]{flow-opened}`	119
	*flow*	`\vscodeicon[foldertype]{flow}`	120
	*flutter-opened*	`\vscodeicon[foldertype]{flutter-opened}`	121
	*flutter*	`\vscodeicon[foldertype]{flutter}`	122
	*fonts-opened*	`\vscodeicon[foldertype]{fonts-opened}`	123
	*fonts*	`\vscodeicon[foldertype]{fonts}`	124
	*frontcommerce-opened*	`\vscodeicon[foldertype]{frontcommerce-opened}`	125
	*frontcommerce*	`\vscodeicon[foldertype]{frontcommerce}`	126
	*gcp-opened*	`\vscodeicon[foldertype]{gcp-opened}`	127
	*gcp*	`\vscodeicon[foldertype]{gcp}`	128
	*gemini-opened*	`\vscodeicon[foldertype]{gemini-opened}`	129
	*gemini*	`\vscodeicon[foldertype]{gemini}`	130
	*git-opened*	`\vscodeicon[foldertype]{git-opened}`	131
	*git*	`\vscodeicon[foldertype]{git}`	132
	*github-opened*	`\vscodeicon[foldertype]{github-opened}`	133
	*github*	`\vscodeicon[foldertype]{github}`	134
	*gitlab-opened*	`\vscodeicon[foldertype]{gitlab-opened}`	135
	*gitlab*	`\vscodeicon[foldertype]{gitlab}`	136
	*godot-opened*	`\vscodeicon[foldertype]{godot-opened}`	137
	*godot*	`\vscodeicon[foldertype]{godot}`	138
	*gradle-opened*	`\vscodeicon[foldertype]{gradle-opened}`	139
	*gradle*	`\vscodeicon[foldertype]{gradle}`	140
	*graphql-opened*	`\vscodeicon[foldertype]{graphql-opened}`	141
	*graphql*	`\vscodeicon[foldertype]{graphql}`	142
	*grunt-opened*	`\vscodeicon[foldertype]{grunt-opened}`	143
	*grunt*	`\vscodeicon[foldertype]{grunt}`	144
	*gulp-opened*	`\vscodeicon[foldertype]{gulp-opened}`	145
	*gulp*	`\vscodeicon[foldertype]{gulp}`	146
	*haxelib-opened*	`\vscodeicon[foldertype]{haxelib-opened}`	147
	*haxelib*	`\vscodeicon[foldertype]{haxelib}`	148
	*helper-opened*	`\vscodeicon[foldertype]{helper-opened}`	149
	*helper*	`\vscodeicon[foldertype]{helper}`	150
	*histoire-opened*	`\vscodeicon[foldertype]{histoire-opened}`	151
	*histoire*	`\vscodeicon[foldertype]{histoire}`	152
	*hook-opened*	`\vscodeicon[foldertype]{hook-opened}`	153
	*hook*	`\vscodeicon[foldertype]{hook}`	154
	husky-opened	`\vscodeicon[foldertype]{husky-opened}`	155
	husky	`\vscodeicon[foldertype]{husky}`	156
	idea-opened	`\vscodeicon[foldertype]{idea-opened}`	157
	idea	`\vscodeicon[foldertype]{idea}`	158
	images-opened	`\vscodeicon[foldertype]{images-opened}`	159
	images	`\vscodeicon[foldertype]{images}`	160

Icon	Name	Direct command	PDF page
	include-opened	`\vscodeicon[foldertype]{include-opened}`	161
	include	`\vscodeicon[foldertype]{include}`	162
	interfaces-opened	`\vscodeicon[foldertype]{interfaces-opened}`	163
	interfaces	`\vscodeicon[foldertype]{interfaces}`	164
	ios-opened	`\vscodeicon[foldertype]{ios-opened}`	165
	ios	`\vscodeicon[foldertype]{ios}`	166
	js-opened	`\vscodeicon[foldertype]{js-opened}`	167
	js	`\vscodeicon[foldertype]{js}`	168
	json-official-opened	`\vscodeicon[foldertype]{json-official-opened}`	169
	json-official	`\vscodeicon[foldertype]{json-official}`	170
	json-opened	`\vscodeicon[foldertype]{json-opened}`	171
	json	`\vscodeicon[foldertype]{json}`	172
	junie-opened	`\vscodeicon[foldertype]{junie-opened}`	173
	junie	`\vscodeicon[foldertype]{junie}`	174
	kiro-opened	`\vscodeicon[foldertype]{kiro-opened}`	175
	kiro	`\vscodeicon[foldertype]{kiro}`	176
	kotlin-opened	`\vscodeicon[foldertype]{kotlin-opened}`	177
	kotlin	`\vscodeicon[foldertype]{kotlin}`	178
	kubernetes-opened	`\vscodeicon[foldertype]{kubernetes-opened}`	179
	kubernetes	`\vscodeicon[foldertype]{kubernetes}`	180
	less-opened	`\vscodeicon[foldertype]{less-opened}`	181
	less	`\vscodeicon[foldertype]{less}`	182
	library-opened	`\vscodeicon[foldertype]{library-opened}`	183
	library	`\vscodeicon[foldertype]{library}`	184
	light-cursor-opened	`\vscodeicon[foldertype]{light-cursor-opened}`	185
	light-cursor	`\vscodeicon[foldertype]{light-cursor}`	186
	light-cypress-opened	`\vscodeicon[foldertype]{light-cypress-opened}`	187
	light-cypress	`\vscodeicon[foldertype]{light-cypress}`	188
	light-devenv-opened	`\vscodeicon[foldertype]{light-devenv-opened}`	189
	light-devenv	`\vscodeicon[foldertype]{light-devenv}`	190
	light-electron-opened	`\vscodeicon[foldertype]{light-electron-opened}`	191
	light-electron	`\vscodeicon[foldertype]{light-electron}`	192
	light-expo-opened	`\vscodeicon[foldertype]{light-expo-opened}`	193
	light-expo	`\vscodeicon[foldertype]{light-expo}`	194
	light-fonts-opened	`\vscodeicon[foldertype]{light-fonts-opened}`	195
	light-fonts	`\vscodeicon[foldertype]{light-fonts}`	196
	light-gradle-opened	`\vscodeicon[foldertype]{light-gradle-opened}`	197
	light-gradle	`\vscodeicon[foldertype]{light-gradle}`	198
	light-meteor-opened	`\vscodeicon[foldertype]{light-meteor-opened}`	199
	light-meteor	`\vscodeicon[foldertype]{light-meteor}`	200
	light-mypy-opened	`\vscodeicon[foldertype]{light-mypy-opened}`	201
	light-mypy	`\vscodeicon[foldertype]{light-mypy}`	202
	light-mysql-opened	`\vscodeicon[foldertype]{light-mysql-opened}`	203
	light-mysql	`\vscodeicon[foldertype]{light-mysql}`	204
	light-node-opened	`\vscodeicon[foldertype]{light-node-opened}`	205
	light-node	`\vscodeicon[foldertype]{light-node}`	206

Icon	Name	Direct command	PDF page
	light-redux-opened	`\vscodeicon[foldertype]{light-redux-opened}`	207
	light-redux	`\vscodeicon[foldertype]{light-redux}`	208
	light-sass-opened	`\vscodeicon[foldertype]{light-sass-opened}`	209
	light-sass	`\vscodeicon[foldertype]{light-sass}`	210
	light-zed-opened	`\vscodeicon[foldertype]{light-zed-opened}`	211
	light-zed	`\vscodeicon[foldertype]{light-zed}`	212
	linux-opened	`\vscodeicon[foldertype]{linux-opened}`	213
	linux	`\vscodeicon[foldertype]{linux}`	214
	locale-opened	`\vscodeicon[foldertype]{locale-opened}`	215
	locale	`\vscodeicon[foldertype]{locale}`	216
	log-opened	`\vscodeicon[foldertype]{log-opened}`	217
	log	`\vscodeicon[foldertype]{log}`	218
	macos-opened	`\vscodeicon[foldertype]{macos-opened}`	219
	macos	`\vscodeicon[foldertype]{macos}`	220
	mariadb-opened	`\vscodeicon[foldertype]{mariadb-opened}`	221
	mariadb	`\vscodeicon[foldertype]{mariadb}`	222
	maven-opened	`\vscodeicon[foldertype]{maven-opened}`	223
	maven	`\vscodeicon[foldertype]{maven}`	224
	mediawiki-opened	`\vscodeicon[foldertype]{mediawiki-opened}`	225
	mediawiki	`\vscodeicon[foldertype]{mediawiki}`	226
	memcached-opened	`\vscodeicon[foldertype]{memcached-opened}`	227
	memcached	`\vscodeicon[foldertype]{memcached}`	228
	meteor-opened	`\vscodeicon[foldertype]{meteor-opened}`	229
	meteor	`\vscodeicon[foldertype]{meteor}`	230
	middleware-opened	`\vscodeicon[foldertype]{middleware-opened}`	231
	middleware	`\vscodeicon[foldertype]{middleware}`	232
	minecraft-opened	`\vscodeicon[foldertype]{minecraft-opened}`	233
	minecraft	`\vscodeicon[foldertype]{minecraft}`	234
	minikube-opened	`\vscodeicon[foldertype]{minikube-opened}`	235
	minikube	`\vscodeicon[foldertype]{minikube}`	236
	mjml-opened	`\vscodeicon[foldertype]{mjml-opened}`	237
	mjml	`\vscodeicon[foldertype]{mjml}`	238
	mobile-opened	`\vscodeicon[foldertype]{mobile-opened}`	239
	mobile	`\vscodeicon[foldertype]{mobile}`	240
	mock-opened	`\vscodeicon[foldertype]{mock-opened}`	241
	mock	`\vscodeicon[foldertype]{mock}`	242
	model-opened	`\vscodeicon[foldertype]{model-opened}`	243
	model	`\vscodeicon[foldertype]{model}`	244
	module-opened	`\vscodeicon[foldertype]{module-opened}`	245
	module	`\vscodeicon[foldertype]{module}`	246
	mojo-opened	`\vscodeicon[foldertype]{mojo-opened}`	247
	mojo	`\vscodeicon[foldertype]{mojo}`	248
	mongodb-opened	`\vscodeicon[foldertype]{mongodb-opened}`	249
	mongodb	`\vscodeicon[foldertype]{mongodb}`	250
	mypy-opened	`\vscodeicon[foldertype]{mypy-opened}`	251
	mypy	`\vscodeicon[foldertype]{mypy}`	252

Icon	Name	Direct command	PDF page
	*mysql-opened*	`\vscodeicon[foldertype]{mysql-opened}`	253
	*mysql*	`\vscodeicon[foldertype]{mysql}`	254
	*netlify-opened*	`\vscodeicon[foldertype]{netlify-opened}`	255
	*netlify*	`\vscodeicon[foldertype]{netlify}`	256
	*next-opened*	`\vscodeicon[foldertype]{next-opened}`	257
	*next*	`\vscodeicon[foldertype]{next}`	258
	*nginx-opened*	`\vscodeicon[foldertype]{nginx-opened}`	259
	*nginx*	`\vscodeicon[foldertype]{nginx}`	260
	*nix-opened*	`\vscodeicon[foldertype]{nix-opened}`	261
	*nix*	`\vscodeicon[foldertype]{nix}`	262
	*node-opened*	`\vscodeicon[foldertype]{node-opened}`	263
	*node*	`\vscodeicon[foldertype]{node}`	264
	*notebooks-opened*	`\vscodeicon[foldertype]{notebooks-opened}`	265
	*notebooks*	`\vscodeicon[foldertype]{notebooks}`	266
	*notification-opened*	`\vscodeicon[foldertype]{notification-opened}`	267
	*notification*	`\vscodeicon[foldertype]{notification}`	268
	*nuget-opened*	`\vscodeicon[foldertype]{nuget-opened}`	269
	*nuget*	`\vscodeicon[foldertype]{nuget}`	270
	*nuxt-opened*	`\vscodeicon[foldertype]{nuxt-opened}`	271
	*nuxt*	`\vscodeicon[foldertype]{nuxt}`	272
	*package-opened*	`\vscodeicon[foldertype]{package-opened}`	273
	*package*	`\vscodeicon[foldertype]{package}`	274
	*paket-opened*	`\vscodeicon[foldertype]{paket-opened}`	275
	*paket*	`\vscodeicon[foldertype]{paket}`	276
	*php-opened*	`\vscodeicon[foldertype]{php-opened}`	277
	*php*	`\vscodeicon[foldertype]{php}`	278
	*platformio-opened*	`\vscodeicon[foldertype]{platformio-opened}`	279
	*platformio*	`\vscodeicon[foldertype]{platformio}`	280
	*plugin-opened*	`\vscodeicon[foldertype]{plugin-opened}`	281
	*plugin*	`\vscodeicon[foldertype]{plugin}`	282
	*prisma-opened*	`\vscodeicon[foldertype]{prisma-opened}`	283
	*prisma*	`\vscodeicon[foldertype]{prisma}`	284
	*private-opened*	`\vscodeicon[foldertype]{private-opened}`	285
	*private*	`\vscodeicon[foldertype]{private}`	286
	*public-opened*	`\vscodeicon[foldertype]{public-opened}`	287
	*public*	`\vscodeicon[foldertype]{public}`	288
	*pytest-opened*	`\vscodeicon[foldertype]{pytest-opened}`	289
	*pytest*	`\vscodeicon[foldertype]{pytest}`	290
	*python-opened*	`\vscodeicon[foldertype]{python-opened}`	291
	*python*	`\vscodeicon[foldertype]{python}`	292
	ravendb-opened	`\vscodeicon[foldertype]{ravendb-opened}`	293
	ravendb	`\vscodeicon[foldertype]{ravendb}`	294
	redis-opened	`\vscodeicon[foldertype]{redis-opened}`	295
	redis	`\vscodeicon[foldertype]{redis}`	296
	redux-opened	`\vscodeicon[foldertype]{redux-opened}`	297
	redux	`\vscodeicon[foldertype]{redux}`	298

Icon	Name	Direct command	PDF page
	*route-opened*	`\vscodeicon[foldertype]{route-opened}`	299
	*route*	`\vscodeicon[foldertype]{route}`	300
	*sass-opened*	`\vscodeicon[foldertype]{sass-opened}`	301
	*sass*	`\vscodeicon[foldertype]{sass}`	302
	*script-opened*	`\vscodeicon[foldertype]{script-opened}`	303
	*script*	`\vscodeicon[foldertype]{script}`	304
	*seedkit-opened*	`\vscodeicon[foldertype]{seedkit-opened}`	305
	*seedkit*	`\vscodeicon[foldertype]{seedkit}`	306
	*server-opened*	`\vscodeicon[foldertype]{server-opened}`	307
	*server*	`\vscodeicon[foldertype]{server}`	308
	*services-opened*	`\vscodeicon[foldertype]{services-opened}`	309
	*services*	`\vscodeicon[foldertype]{services}`	310
	*shared-opened*	`\vscodeicon[foldertype]{shared-opened}`	311
	*shared*	`\vscodeicon[foldertype]{shared}`	312
	*snaplet-opened*	`\vscodeicon[foldertype]{snaplet-opened}`	313
	*snaplet*	`\vscodeicon[foldertype]{snaplet}`	314
	*spin-opened*	`\vscodeicon[foldertype]{spin-opened}`	315
	*spin*	`\vscodeicon[foldertype]{spin}`	316
	*src-opened*	`\vscodeicon[foldertype]{src-opened}`	317
	*src*	`\vscodeicon[foldertype]{src}`	318
	*sso-opened*	`\vscodeicon[foldertype]{sso-opened}`	319
	*sso*	`\vscodeicon[foldertype]{sso}`	320
	*story-opened*	`\vscodeicon[foldertype]{story-opened}`	321
	*story*	`\vscodeicon[foldertype]{story}`	322
	*style-opened*	`\vscodeicon[foldertype]{style-opened}`	323
	*style*	`\vscodeicon[foldertype]{style}`	324
	*supabase-opened*	`\vscodeicon[foldertype]{supabase-opened}`	325
	*supabase*	`\vscodeicon[foldertype]{supabase}`	326
	*svelte-opened*	`\vscodeicon[foldertype]{svelte-opened}`	327
	*svelte*	`\vscodeicon[foldertype]{svelte}`	328
	*swagger-opened*	`\vscodeicon[foldertype]{swagger-opened}`	329
	*swagger*	`\vscodeicon[foldertype]{swagger}`	330
	*tauri-opened*	`\vscodeicon[foldertype]{tauri-opened}`	331
	*tauri*	`\vscodeicon[foldertype]{tauri}`	332
	*temp-opened*	`\vscodeicon[foldertype]{temp-opened}`	333
	*temp*	`\vscodeicon[foldertype]{temp}`	334
	*template-opened*	`\vscodeicon[foldertype]{template-opened}`	335
	*template*	`\vscodeicon[foldertype]{template}`	336
	*test-opened*	`\vscodeicon[foldertype]{test-opened}`	337
	*test*	`\vscodeicon[foldertype]{test}`	338
	theme-opened	`\vscodeicon[foldertype]{theme-opened}`	339
	theme	`\vscodeicon[foldertype]{theme}`	340
	tools-opened	`\vscodeicon[foldertype]{tools-opened}`	341
	tools	`\vscodeicon[foldertype]{tools}`	342
	travis-opened	`\vscodeicon[foldertype]{travis-opened}`	343
	travis	`\vscodeicon[foldertype]{travis}`	344

Icon	Name	Direct command	PDF page
	*trunk-opened*	\vscodeicon[foldertype]{trunk-opened}	345
	*trunk*	\vscodeicon[foldertype]{trunk}	346
	*turbo-opened*	\vscodeicon[foldertype]{turbo-opened}	347
	*turbo*	\vscodeicon[foldertype]{turbo}	348
	*typescript-opened*	\vscodeicon[foldertype]{typescript-opened}	349
	*typescript*	\vscodeicon[foldertype]{typescript}	350
	*typings-opened*	\vscodeicon[foldertype]{typings-opened}	351
	*typings*	\vscodeicon[foldertype]{typings}	352
	*typings2-opened*	\vscodeicon[foldertype]{typings2-opened}	353
	*typings2*	\vscodeicon[foldertype]{typings2}	354
	*vagrant-opened*	\vscodeicon[foldertype]{vagrant-opened}	355
	*vagrant*	\vscodeicon[foldertype]{vagrant}	356
	*vercel-opened*	\vscodeicon[foldertype]{vercel-opened}	357
	*vercel*	\vscodeicon[foldertype]{vercel}	358
	*video-opened*	\vscodeicon[foldertype]{video-opened}	359
	*video*	\vscodeicon[foldertype]{video}	360
	*view-opened*	\vscodeicon[foldertype]{view-opened}	361
	*view*	\vscodeicon[foldertype]{view}	362
	*vitepress-opened*	\vscodeicon[foldertype]{vitepress-opened}	363
	*vitepress*	\vscodeicon[foldertype]{vitepress}	364
	*vs-opened*	\vscodeicon[foldertype]{vs-opened}	365
	*vs*	\vscodeicon[foldertype]{vs}	366
	*vs2-opened*	\vscodeicon[foldertype]{vs2-opened}	367
	*vs2*	\vscodeicon[foldertype]{vs2}	368
	*vscode-opened*	\vscodeicon[foldertype]{vscode-opened}	369
	*vscode-test-opened*	\vscodeicon[foldertype]{vscode-test-opened}	370
	*vscode-test*	\vscodeicon[foldertype]{vscode-test}	371
	*vscode-test2-opened*	\vscodeicon[foldertype]{vscode-test2-opened}	372
	*vscode-test2*	\vscodeicon[foldertype]{vscode-test2}	373
	*vscode-test3-opened*	\vscodeicon[foldertype]{vscode-test3-opened}	374
	*vscode-test3*	\vscodeicon[foldertype]{vscode-test3}	375
	*vscode*	\vscodeicon[foldertype]{vscode}	376
	*vscode2-opened*	\vscodeicon[foldertype]{vscode2-opened}	377
	*vscode2*	\vscodeicon[foldertype]{vscode2}	378
	*vscode3-opened*	\vscodeicon[foldertype]{vscode3-opened}	379
	*vscode3*	\vscodeicon[foldertype]{vscode3}	380
	*wasm-opened*	\vscodeicon[foldertype]{wasm-opened}	381
	*wasm*	\vscodeicon[foldertype]{wasm}	382
	*wasp-opened*	\vscodeicon[foldertype]{wasp-opened}	383
	*wasp*	\vscodeicon[foldertype]{wasp}	384
	webpack-opened	\vscodeicon[foldertype]{webpack-opened}	385
	webpack	\vscodeicon[foldertype]{webpack}	386
	windows-opened	\vscodeicon[foldertype]{windows-opened}	387
	windows	\vscodeicon[foldertype]{windows}	388
	windsurf-opened	\vscodeicon[foldertype]{windsurf-opened}	389
	windsurf	\vscodeicon[foldertype]{windsurf}	390

Icon	Name	Direct command	PDF page
	*wit-opened*	`\vscodeicon[foldertype]{wit-opened}`	391
	*wit*	`\vscodeicon[foldertype]{wit}`	392
	*www-opened*	`\vscodeicon[foldertype]{www-opened}`	393
	*www*	`\vscodeicon[foldertype]{www}`	394
	*yarn-opened*	`\vscodeicon[foldertype]{yarn-opened}`	395
	*yarn*	`\vscodeicon[foldertype]{yarn}`	396
	*zed-opened*	`\vscodeicon[foldertype]{zed-opened}`	397
	*zed*	`\vscodeicon[foldertype]{zed}`	398